



## WELCOME

And thank you for your interest in our blades.

We proudly present to you our whole program in this catalogue. On the following pages you'll find an overview of the content, sorted by our 4 different Interlock-systems. In that way you can quickly and easily find the right tool for the right application that fits on your multitool.

### THE BECOMING OF QBLADES

Qblades was founded in 2013 by George van Haaster and Daan Broersen, 2 devoted entrepreneurs and professionals. Both had their own construction company and frustrated themselves over and over again with the quality of a sawblade for 16 Euro. Most of all carpenters, electricians, plumbers and other professionals were having a multitool in their toolbox, but it seemed that, when it came down to sawblades, a real alternative was lacking. Daan and George went on to find an able manufacturer, where they could influence design and secure quality and started visiting construction sites with their Qblades.

The quality of the blades and the pricing created a lot of demand and so, Qblades became available in more and more stores. Because of an excellent price/performance ratio, a complete programme and lots and lots of passion and enthusiasm, Qblades, in the meantime, is available in over 500 stores across the Netherlands and Belgium. And, in the course over the last couple of years, Qblades are being sold in Germany, France, Denmark and Finland.

### THE PROFESSIONALS CHOICE'

The multitool has developed into an unmissable tool in the daily work of a professional. Qblades delivers sawblades for each type of machine, each brand and has an excellent price/performance ratio.

Multitool sawblades are available in 4 different Interlock-systems.

You can choose for easy and comfortable changing by choosing the new Starlock system (SL) or are you using a universal (UN) system, SuperCut (SC) or DeWalt (DW)? All Qblades are made of the best rawmaterial and are affordably priced. In short: more cuts for your money!

### THE RIGHT BLADE FOR EACH TASK

When cutting soft materials, like wood or PVC, use a HCS (High Carbon Steel) blade. If you want to be able to cut profiles, nails and even metal pipes besides wood, then you better choose a BIM (Bi-Metal) blade. Qblades are extra robust and able to answer to the daily challenges of each professional.

Changing bathroom tiles? We deliver a certain range of carbide and diamond blades that can be applied to concrete and stone. We also offer a range of blades and knives to remove glue or luting.

We wish you all the best for your next project!  
Always buy Qblades at 10+1 FREE!  
Available in your professional hardware store.

Sincerely, the Qblades team





## **Professional Quality**

The best rawmaterial

Robust toothing

Permanently tested on performance

## **Compatibility**

The solution for every multitool

## **Excellent price/performance ratio**

More cuts for your money

Always 10+1 free

## **The professionals' choice**

Available at professional hardware stores

Reliable quality for a realistic price



## UN INTERLOCK, blades & accessories

for wood (HCS)	.....	PAGE 6-7
for wood and metal (BIM)	.....	PAGE 8-9
for concrete and stone	.....	PAGE 10-11
for glue and luting	.....	PAGE 12-13
for grinding	.....	PAGE 14
various sets	.....	PAGE 15-16

## SL/SLM INTERLOCK, blades & accessories

for wood (HCS)	.....	PAGE 18-19
for wood and metal (BIM)	.....	PAGE 20-21
for concrete and stone	.....	PAGE 22-23
for glue and luting	.....	PAGE 24
for grinding	.....	PAGE 25
various sets	.....	PAGE 26

## SC INTERLOCK, blades & accessories

for wood (HCS)	.....	PAGE 28-29
for wood and metal (BIM)	.....	PAGE 30-31
for concrete and stone	.....	PAGE 32-33
for glue and luting	.....	PAGE 34-35
for grinding	.....	PAGE 36
various sets	.....	PAGE 37-38

## DW INTERLOCK, blades & accessories


for wood (HCS)	.....	PAGE 40
for wood and metal (BIM)	.....	PAGE 41
for concrete and stone	.....	PAGE 42
various sets	.....	PAGE 43

<b>INDEX</b>	.....	PAGE 44-45
--------------	-------	------------



# INTERLOCK OVERVIEW

Bosch (met OIS),  
Milwaukee,  
Makita,  
Metabo,  
Hitachi/Hikoki,  
AEG, Ryobi,  
Dremel, Skill,  
Einhell, Ferm





Fein Multimaster &  
Multitalent  
(met MultiMount)

Pagina 6 t/m 16

UN

Fein Multimaster  
& Multitalent,  
Bosch  
(met STARLOCK)




Fein, Bosch (400W)  
(met STARLOCK MAX)

Pagina 18 t/m 26

SL


Fein SuperCut,  
Festool



Pagina 28 t/m 38

SC


DeWalt,  
Stanley Fatmax,  
Black&Decker



Pagina 40 t/m 43

DW

## UN02 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN02	1 PCS	QBL381748	Sawblade STANDARD, HCS
UN02	5 PCS	QBL381809	44mmx78mm
UN02	10+1 PCS	QBL381861	
UN02	100+15 PCS	QBL381922	

Also available for different interlock systems:



more information on page 19



more information on page 28

## UN04 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN04	1 PCS	QBL380000	Sawblade STANDARD, HCS
UN04	5 PCS	QBL380680	34mmx40mm
UN04	10+1 PCS	QBL380949	
UN04	100+15 PCS	QBL381083	

Also available for different interlock systems:



more information on page 40




more information on page 18



more information on page 28

## UN07 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN07	1 PCS	QBL380024	Sawblade STANDARD, HCS
UN07	5 PCS	QBL380703	20mmx40mm
UN07	10+1 PCS	QBL380963	
UN07	100+15 PCS	QBL381106	

Also available for different interlock systems:




more information on page 18



more information on page 28

## UN08 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN08	1 PCS	QBL380048	Sawblade STANDARD, HCS
UN08	5 PCS	QBL380727	65mmx42mm
UN08	10+1 PCS	QBL380987	
UN08	100+15 PCS	QBL381120	

Also available for different interlock systems:



more information on page 40




more information on page 18



more information on page 28

**UN06  
HCS**



**Description:**


High cutting speed and precision thanks to Japanese teeth.  
For all work activities with wood, plasterboard and plastic.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN06	1 PCS	QBL380062	Sawblade PRECISION, HCS
UN06	5 PCS	QBL380741	34mmx40mm
UN06	10+1 PCS	QBL381007	
UN06	100+15 PCS	QBL381144	

Also available for different interlock systems:



**UN09  
HCS**



**Description:**

High cutting speed and precision thanks to Japanese teeth.  
For all work activities with wood, plasterboard and plastic.


TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN09	1 PCS	QBL381762	Sawblade PRECISION, HCS
UN09	5 PCS	QBL381823	68mmx42mm
UN09	10+1 PCS	QBL381885	
UN09	100+15 PCS	QBL381946	

Also available for different interlock systems:



**ALWAYS 10+1 FREE**

## UN03 BIM



TPI 19

Also available for different interlock systems:

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.


### TYPE: QTY: ART.NR.: PRODUCT INFORMATION:

UN03	1 PCS	QBL380086	Sawblade BIM,
UN03	5 PCS	QBL380765	34mmx40mm
UN03	10+1 PCS	QBL381021	
UN03	100+15 PCS	QBL381168	



SC03  
more information on page 30

## UN11 BIM



TPI 19

Also available for different interlock systems:

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCT INFORMATION:

UN11	1 PCS	QBL380482	Sawblade BIM,
UN11	5 PCS	QBL380802	45mmx60mm
UN11	10+1 PCS	QBL380642	
UN11	100+15 PCS	QBL381182	



DW11  
more information on page 41




SL10  
more information on page 20



SC11  
more information on page 30

## UN12 BIM



TPI 19

Also available for different interlock systems:

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCT INFORMATION:

UN12	1 PCS	QBL381786	Sawblade BIM,
UN12	5 PCS	QBL381847	44mmx78mm
UN12	10+1 PCS	QBL381908	
UN12	100+15 PCS	QBL381960	



SLM12  
more information on page 21



SC12  
more information on page 30

## Q-FACT:



### THE RIGHT CUTTING SPEED

A BIM-blade can be applied for cutting of different materials. Make sure to use max speed 4 when cutting harder materials such as nails, aluminium profiles or copper. At too high speed, the blade will overheat and finally burn/brake. Use as thumbrule: the harder the material the slower the speed. If you plan on cutting steel, we advise to use cooling aid while cutting.



# UN - WOOD & METAL

**UN13  
BIM**



Also available for different interlock systems:



DW13  
more information on page 41



SL13  
more information on page 20



SC13  
more information on page 31


## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN13	1 PCS	QBL382479	Sawblade BIM,
UN13	5 PCS	QBL382493	68mmx42mm
UN13	10+1 PCS	QBL382516	
UN13	100+15 PCS	QBL382530	

**UN15  
BIM**



Also available for different interlock systems:



DW15  
more information on page 41



SL15  
more information on page 20



SC15  
more information on page 31


## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.


### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN15	1 PCS	QBL380123	Sawblade BIM,
UN15	5 PCS	QBL380826	28mmx60mm
UN15	10+1 PCS	QBL381069	
UN15	100+15 PCS	QBL381205	


**UN20  
BIM**



Also available for different interlock systems:



SL20  
more information on page 20



SC20  
more information on page 31



## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN20	1 PCS	QBL380147	Segmentblade, BIM,
UN20	5 PCS	QBL380840	88mm
UN20	10+1 PCS	QBL381601	1,1mm


**UN21**



Also available for different interlock systems:



SL20  
more information on page 20



SC21  
more information on page 31

## Description:


Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN21	1 PCS	QBL381342	Segmentblade, HSS,
UN21	5 PCS	QBL381359	80mm
UN21	10+1 PCS	QBL381588	0,9mm

**ALWAYS 10+1 FREE**

## UN30



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!


TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN30	1 PCS	QBL380208	DIAMOND
UN30	5 PCS	QBL381540	Segmentblade,
UN30	10+1 PCS	QBL381656	85mm, 2mm

Also available for different interlock systems:



SL30


more information on page 22



SC30

more information on page 32

## UN32




### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN32	1 PCS	QBL380222	DIAMOND Sawblade,
UN32	5 PCS	QBL381564	63mm
UN32	10+1 PCS	QBL381670	2mm


Also available for different interlock systems:



SC32

more information on page 32

## UN35



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN35	1 PCS	QBL380246	DIAMOND Sickle,
UN35	5 PCS	QBL381427	58mm
UN35	10+1 PCS	QBL381403	2mm

Also available for different interlock systems:



DW35

more information on page 42



SLM41


more information on page 23



SC35

more information on page 32

## UN36



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN36	1 PCS	QBL382301	DIAMOND Sickle,
UN36	5 PCS	QBL382349	58mm
UN36	10+1 PCS	QBL382387	1,4mm

Also available for different interlock systems:



SLM42


more information on page 23



SC36

more information on page 32

## UN40




### Description:

This carbide rasp is suitable for the rough working of putty, tile grout concrete, stone and wood.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN40	1 PCS	QBL380161	CARBIDE Rasp, triangular,
UN40	5 PCS	QBL381502	80mm
UN40	10+1 PCS	QBL381618	

Also available for different interlock systems:



SL40


more information on page 22



SC40

more information on page 33

## UN45



### Description:

For the rough grinding out of damaged tile joints and for the slot milling in plasterwork, cellular concrete and similar building material types.


TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN45	1 PCS	QBL380185	CARBIDE
UN45	5 PCS	QBL381526	Segmentblade,
UN45	10+1 PCS	QBL381632	63mm 2,2mm

Also available for different interlock systems:



SL45

more information on page 22




SC45

more information on page 33



**ALWAYS 10+1 FREE**

**UN70**



**Description:**

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN70	1 PCS	QBL380260	SEGMENTKNIVE, convex
UN70	5 PCS	QBL380864	52mm
UN70	10+1 PCS	QBL381311	0,9mm

Also available for different interlock systems:



SL71

more information on page 24



SC70

more information on page 34

**UN72**



**Description:**

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN72	1 PCS	QBL380284	SEGMENTKNIVE, concave
UN72	5 PCS	QBL380888	52mm
UN72	10+1 PCS	QBL381298	0,9mm

Also available for different interlock systems:



SC72

more information on page 34



# UN - GLUE & LUTING

**UN73**



**Description:**

Exceptionally well suited to remove old butylene luting.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN73	1 PCS	QBL381441	SEGMENTKNIVE,
UN73	5 PCS	QBL381458	Sickle, serrated
UN73	10+1 PCS	QBL381465	60mm 1,5mm

Also available for different interlock systems:



**UN75**




**Description:**

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN75	1 PCS	QBL380307	SEGMENTKNIVE,
UN75	5 PCS	QBL380901	Sickle
UN75	10+1 PCS	QBL381274	55mm 0,9mm

Also available for different interlock systems:



**UN76**




**Description:**

Very strong blade to cut deep luting.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN76	1 PCS	QBL381045	CUTTINGKNIVE, pointy
UN76	5 PCS	QBL381229	70mm
UN76	10+1 PCS	QBL381250	1,5mm

Also available for different interlock systems:



**UN78**





**Description:**

For universal usage but especially well suited for cutting dilation joints.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN78	1 PCS	QBL380321	CUTTINGKNIVE, straight
UN78	5 PCS	QBL380925	30mmx85mm
UN78	10+1 PCS	QBL381328	1mm

Also available for different interlock systems:



**ALWAYS 10+1 FREE**

## UN51



### Description:

For universal use on nearly all materials such as wood, metal, fiberglass, plastic, paint, putty, welds and leather. Sanding pad with Velcro connection for finger-shaped sanding pads.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN51	2 PCS	QBL380369	SANDINGPAD, finger-shaped 36mmx50mm  with Velcro

Also available for different interlock systems:



SC51

more information on page 36

## UN52



### Description:

For universal use on nearly all materials such as wood, metal, fiberglass, plastic, paint, putty, welds and leather. Sanding pad with Velcro connection for triangular sanding pads. UN62.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN52	2 PCS	QBL381984	SANDINGPAD, triangular perforated 93mm with Velcro

Also available for different interlock systems:



SL52

more information on page 25



SC52

more information on page 36

## UN62



### Description:

Sandingsheets with different graining: P60, P80, P100, P120 en P240. Compatible with sandingpad UN52, SL52 and SC52.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN62-P60	10 PCS	QBL382004	SANDINGSHEETS, triangular, perforated Deliverable in graining P60, P80, P100, P120 en P240
UN62-P80	10 PCS	QBL382011	
UN62-P100	10 PCS	QBL382028	
UN62-P120	10 PCS	QBL382035	
UN62-P240	10 PCS	QBL382042	

## UN65




### Description:

Sandingsheets with different graining: P60, P80, P100, P120 en P240. Compatible with sandingpad UN51 and SC52.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
UN65-P60	20 PCS	QBL380437	SANDINGSHEETS, fingershaped with Velcro Deliverable in graining P60, P80, P100, P120 en P240
UN65-P80	20 PCS	QBL380444	
UN65-P100	20 PCS	QBL380451	
UN65-P120	20 PCS	QBL380468	
UN65-P240	20 PCS	QBL380475	

## UN47



Also available for different interlock systems:

### Description:

For the rough grinding out of damaged tile joints and for the slot milling in plasterwork, cellular concrete and similar building material types as well as putty, tile grout, concrete, stone and wood.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN47 Set a 2 PCS QBL380543 SET contains 1xUN40 and UN45.  
Carbide-SET for Concrete & Stone



SC47

more information on page 37

## UN48



Also available for different interlock systems:

### Description:

Complete set for the delicate work, such as cutting out tile joints, small scale masonry or tiling. Also ideal for working of stone, epoxy, marble and concrete joints, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN48 Set a 3 PCS QBL380567 SET contains 1x UN30, UN32 and UN35.  
Diamond-SET for Concrete & Stone



SC48

more information on page 37

## UN90



Also available for different interlock systems:

### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics. The Bi-metal Sawblades are besides wood also suitable for various plastics, nails, copper and aluminum tubes and profiles.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN90 Set a 8 PCS QBL380581 Set contains 1x UN07, UN11, UN20, UN15, UN08, UN06, UN04 and UN03.  
Complete set for Wood & Metal



SC90

more information on page 37

## UN91



Also available for different interlock systems:

### Description:

All standard and precision sawblades are applicable for wood, plasterboard and plastic. All BIM sawblades are applicable for wood, plasterboard, plastic and different metal materials such as nails, aluminium profiles and copper tubings.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

UN91 Set a 7 PCS QBL380604 Set contains 1x UN40, UN32, UN20, UN70, UN11, UN04, UN06.  
Set for all applications.




SC91

more information on page 37

**ALWAYS 10+1 FREE**

## UN92



### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.  
The Bi-metal Sawblades are besides wood also suitable for various plastics, nails, copper and aluminum tubes and profiles.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN92	4PCS	QBL380628	Set contains 1x UN11, UN08, UN06 and UN04. Standard Set for Wood & Metal

Also available for different interlock systems:



DW92

more information on page 43



SL92

more information on page 26



SC92

more information on page 38

## UN93



### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN93	10PCS +1ST FREE	QBL380666	Set contains 5X UN04 and 6x UN06. Standard Set for Wood

Also available for different interlock systems:



DW93

more information on page 43



SL93


more information on page 26



SC93

more information on page 38

## UN94



### Description:

All blades in this set are suitable to remove any kind of glue or luting, and to cut soft materials like leather, carpet, cardboard etc.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
UN94	4PCS	QBL381724	Set contains 1x UN70, UN72, UN73 and UN78. Standard Set for Glue & Luting

Also available for different interlock systems:



SC94

more information on page 38

## Q-FACT:


### THE UN INTERLOCK

This system is developed to fit on the most common brands of oscillating machines like Bosch, Fein, Metabo Makita, Milwaukee, Dremel and many more. It is made to fit all interlock systems with a 12-point surface like the OIS from Bosch or with a torque-shaped centerpiece like the Fein MultiMount. It does not fit on all Bosch and Fein machines produced after 2017; these are Starlock machines and only compatible with Starlock (SL) blades.

**THE PROFESSIONALS' CHOICE**





Bosch (met OIS),  
Milwaukee,  
Makita,  
Metabo,  
Hitachi/Hikoki,  
AEG, Ryobi,  
Dremel, Skill,  
Einhell, Ferm



Fein Multimaster &  
Multitalent  
(met MultiMod)




Fein Multimaster  
& Multitalent,  
Bosch  
(met STARLOCK)



Fein, Bosch (400W)  
(met STARLOCK MAX)

Fein SuperCut,  
Festool



DeWalt,  
Stanley Fatmax,  
Black&Decker




UN

SL

SC

DW

## SL04 HCS



STARLOCK

### Description:


Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SL04	1 PCS	QBL382103	Sawblade STANDARD, HCS
SL04	5 PCS	QBL382165	35mmx50mm
SL04	10+1 PCS	QBL382219	
SL04	100+15 PCS	QBL382431	

Also available for different interlock systems:



## SL07 BIM



STARLOCK

### Description:


Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SL07	1 PCS	QBL382882	Sawblade BIM,
SL07	5 PCS	QBL382899	20mmx50mm
SL07	10+1 PCS	QBL382905	
SL07	100+15 PCS	QBL382912	

Also available for different interlock systems:



## SL08 HCS



STARLOCK

### Description:


Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SL08	1 PCS	QBL382110	Sawblade STANDARD, HCS
SL08	5 PCS	QBL382172	65mmx50mm
SL08	10+1 PCS	QBL382226	
SL08	100+15 PCS	QBL382455	

Also available for different interlock systems:



## SL06 HCS



STARLOCK

### Description:

High cutting speed and precision thanks to Japanese teeth.  
For all work activities with wood, plasterboard and plastic.


TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SL06	1 PCS	QBL382127	Sawblade PRECISION, HCS
SL06	5 PCS	QBL382233	35mmx50mm
SL06	10+1 PCS	QBL382271	
SL06	100+15 PCS	QBL382448	

Also available for different interlock systems:



# SL - WOOD

**SL09  
HCS**



**STARLOCK**

## Description:

High cutting speed and precision thanks to Japanese teeth.  
For all work activities with wood, plasterboard and plastic.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SL09	1 PCS	QBL382134	Sawblade PRECISION, HCS
SL09	5 PCS	QBL382189	65mmx50mm
SL09	10+1 PCS	QBL382240	
SL09	100+15 PCS	QBL382554	

Also available for  
different interlock  
systems:



UN09

more information on  
page 7



SC09

more information on  
page 29


## Q-FACT:

### EASY AND QUICK WITH STARLOCK

If you like quick and easy changing of the blades, the Starlock system is the right choice. Be aware that this system only offers the quick and easy change option when you have both, a Starlock machine and the SL blades. If you don't have a Starlock machine, rather use the more affordable UN, SC or DW blades, fitting to your machine, since you don't have any benefit from SL blades.



**SLM01  
HCS**




**STARLOCK MAX**

## Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location. Only compatible with STARLOCK MAX.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SLM01	1 PCS	QBL382806	Sawblade STANDARD, HCS
SLM01	5 PCS	QBL382813	32mmx78mm
SLM01	10+1 PCS	QBL382820	
SLM01	100+15 PCS	QBL382837	

**SLM02  
HCS**



**STARLOCK MAX**

## Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location. Only compatible with STARLOCK MAX.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SLM02	1 PCS	QBL382844	Sawblade STANDARD, HCS
SLM02	5 PCS	QBL382851	42mmx78mm
SLM02	10+1 PCS	QBL382868	
SLM02	100+15 PCS	QBL382875	

Also available for  
different interlock  
systems:



UN02

more information on  
page 6





SC02

more information on  
page 28

**ALWAYS 10+1 FREE**

## SL10 BIM



**STARLOCK**

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
-------	------	----------	----------------------

SL10	1 PCS	QBL382653	Sawblade BIM,
SL10	5 PCS	QBL382677	44mmx55mm
SL10	10+1 PCS	QBL382691	
SL10	100+15 PCS	QBL382714	

Also available for different interlock systems:



DW11  
more information on page 41





UN11  
more information on page 8



SC11  
more information on page 30

## SL13 BIM



**STARLOCK**

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
-------	------	----------	----------------------

SL13	1 PCS	QBL382660	Sawblade BIM,
SL13	5 PCS	QBL382684	65mmx50mm
SL13	10+1 PCS	QBL382707	
SL13	100+15 PCS	QBL382721	

Also available for different interlock systems:



DW13  
more information on page 41




UN13  
more information on page 9



SC13  
more information on page 31

## SL15 BIM



**STARLOCK**

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
-------	------	----------	----------------------

SL15	1 PCS	QBL382141	Sawblade BIM,
SL15	5 PCS	QBL382196	28mmx55mm
SL15	10+1 PCS	QBL382257	
SL15	100+15 PCS	QBL382462	

Also available for different interlock systems:



DW15  
more information on page 41





UN15  
more information on page 9



SC15  
more information on page 31

## SL20



**STARLOCK**

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
-------	------	----------	----------------------

SL20	1 PCS	QBL383032	Segmentsawblade, HSS,
SL20	5 PCS	QBL383049	85mm
SL20	10+1 PCS	QBL383056	

Also available for different interlock systems:




UN20  
more information on page 9



SC20  
more information on page 31

# SL - WOOD & METAL

## SL81 CARBIDE



**STARLOCK**

### Description:

The carbide-pro blade is suited to cut all kind of ferro-metals, stainless steel and even hardened screws. It also cuts in brick, mortar and cement fiber plates. Thanks to the TiN-coating this sawblade is extremely wear-resistant.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

SL81	1 PCS	QBL383001	Sawblade CARBIDE-PRO,
SL81	5 PCS	QBL383018	35mmx45mm
SL81	10+1 PCS	QBL383025	

## Q-FACT:

### ROBUST BLADES


In order to produce robust blades with consistent quality, the selection of rawmaterial is crucial.

Sawblades for wood and plastic are made from HCS (High Carbon Steel), often referred to as "tool-steel".

Bi-Metal is a mix of HCS en HSS (HighSpeed-Steel); there is a variety of more than 50 of these mixtures. The combination of the properties of these 2 different steel types makes Bi-Metal quite unique.

After a lot of testing and searching for the right mix of Bi-Metal for our blades, and in combination with the right toothting, we accomplished to create robust blades with a long lifetime.

## SLM12 BIM



**STARLOCK MAX**

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease. Only compatible with STARLOCK MAX.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

SLM12	1 PCS	QBL382967	Sawblade BIM,
SLM12	5 PCS	QBL382974	42mmx78mm
SLM12	10+1 PCS	QBL382981	
SLM12	100+15 PCS	QBL382998	

Also available for different interlock systems:



UN12


more information on page 8



SC12

more information on page 30

## SLM17 BIM



**STARLOCK MAX**

### Description:


Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease. Only compatible with STARLOCK MAX.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

SLM17	1 PCS	QBL382929	Sawblade BIM,
SLM17	5 PCS	QBL382936	32mmx78mm
SLM17	10+1 PCS	QBL382943	
SLM17	100+15 PCS	QBL382950	

**ALWAYS 10+1 FREE**

**SL30**



**Description:**

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**


SL30 1 PCS QBL382738 DIAMOND  
Segmentblade,  
75mm  
2,2mm

Also available for different interlock systems:



UN30

more information on page 10




SC30

more information on page 32

**STARLOCK**

**SL31**



**Description:**

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**


SL31 1 PCS QBL383124 DIAMOND  
SL31 5 PCS QBL383131 Segmentblade,  
SL31 10+1 PCS QBL383148 90mm  
2,2mm

Also available for different interlock systems:



UN30

more information on page 10





SC30

more information on page 32

**STARLOCK**

**SL40**



**Description:**

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**

SL40 1 PCS QBL383063 CARBIDE,  
SL40 5 PCS QBL383070 rasp, triangular,  
SL40 10+1 PCS QBL383087 80mm

Also available for different interlock systems:



UN40

more information on page 11




SC40

more information on page 33

**STARLOCK**

**SL45**



**Description:**

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**


SL45 1 PCS QBL383094 CARBIDE  
SL45 5 PCS QBL383100 Segmentblade,  
SL45 10+1 PCS QBL383117 75mm  
2,2mm

Also available for different interlock systems:



UN45

more information on page 11



SC45


more information on page 33

**STARLOCK**



TS

## SLM41



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling.  
 Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!  
 Only compatible with STARLOCK MAX.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
-------	------	----------	----------------------

SLM41	1 PCS	QBL383155	CARBIDE Sickle
SLM41	5 PCS	QBL383162	58mm
SLM41	10+1 PCS	QBL383179	2,2mm



Also available for different interlock systems:



DW35

more information on page 42



UN35


more information on page 10



SC35

more information on page 32

## SLM42



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling.  
 Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!  
 Only compatible with STARLOCK MAX.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
-------	------	----------	----------------------

SLM42	1 PCS	QBL383186	CARBIDE Sickle
SLM42	5 PCS	QBL383193	58mm
SLM42	10+1 PCS	QBL383209	1,2mm



Also available for different interlock systems:



UN36

more information on page 10



SC36

more information on page 32

**ALWAYS 10+1 FREE**

SL71



**Description:**

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**

SL71	1 PCS	QBL383216	SEGMENTKNIVE, bol
SL71	5 PCS	QBL383223	52mm
SL71	10+1 PCS	QBL383230	Flexibel

Also available for different interlock systems:



UN70

more information on page 12



SC70

more information on page 34

**STARLOCK**

## Q-FACT:

### THE RIGHT TOOTHING

Besides the best possible rawmaterial, there is one thing, that is decisive for a optimum performance: the right toothting. The HCS Standard toothting is designed for softer materials and enables an easy incision in any spot. The Precision serrating enables high cutting speeds in wood en tight cuts because of the Japanese toothting. With Bi-Metal blades come 2 different toothtings the skew one, more or less the standard for these blades and the straight one, especially designed to enable clean incision in rounded materials like pipes or tubes.



SLM76



**Description:**

Very strong blade to cut deep luting.

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**

SLM76	1 PCS	QBL383247	CUTTINGKNIVE, pointy
SLM76	5 PCS	QBL383254	70mm
SLM76	10+1 PCS	QBL383261	1mm

Also available for different interlock systems:



UN76

more information on page 13



SC76

more information on page 35

**STARLOCK MAX**

SLM78



**Description:**

For universal usage but especially well suited for cutting dilation joints.

**TYPE: QTY: ART.NR.: PRODUCTINFORMATION:**

SLM78	1 PCS	QBL383278	CUTTINGKNIVE, straight
SLM78	5 PCS	QBL383285	30mmx85mm
SLM78	10+1 PCS	QBL383292	1mm

Also available for different interlock systems:



UN78

more information on page 13



SC78

more information on page 35

**STARLOCK MAX**



# SL - SANDING

SL52




## Description:

For universal use on nearly all materials such as wood, metal, fiberglass, plastic, paint, putty, welds and leather. Sanding pad with Velcro connection for triangular sanding pads. UN62.

**TYPE:**    **QTY:**    **ART.NR.:**    **PRODUCTINFORMATION:**

SL52    1 PCS    QBL383308    SANDINGPAD, triangular  
perforated  
93mm  
with Velcro

Also available for  
different interlock  
systems:



UN52


more information on  
page 14



SC52

more information on  
page 36

UN62



## Description:

Sandingsheets with different graining: P60, P80, P100, P120 en P240. Compatible with sandingpad UN52, SL52 and SC52.


**TYPE:**    **QTY:**    **ART.NR.:**    **PRODUCTINFORMATION:**

UN62-P60	10 PCS	QBL382004	SANDINGSHEET, triangular,
UN62-P80	10 PCS	QBL382011	perforated
UN62-P100	10 PCS	QBL382028	Deliverable in graining P60,
UN62-P120	10 PCS	QBL382035	P80, P100, P120 en P240
UN62-P240	10 PCS	QBL382042	

TS

ALWAYS 10+1 FREE

## SL92



### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.  
The Bi-metal Sawblades are besides wood also suitable for various plastics, nails, copper and aluminum tubes and profiles.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SL92	4PCS	QBL382561	Set contains 1x SL15, SL08, SL06 and SL04. Standard Set for Wood & Metal

Also available for different interlock systems:



DW92

more information on page 43



UN92


more information on page 16



SC92

more information on page 38

## SL93



### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SL93	11PCS	QBL382578	Set contains 5X SL04 and 6x SL06. Standard Set for Wood

Also available for different interlock systems:



DW93

more information on page 43



UN93

more information on page 16



SC93


more information on page 38





Bosch (met OIS),  
Milwaukee,  
Makita,  
Metabo,  
Hitachi/Hikoki,  
AEG, Ryobi,  
Dremel, Skill,  
Einhell, Ferm



Fein Multimaster &  
Multitalent  
(met MultiMount)




Fein Multimaster  
& Multitalent,  
Bosch  
(met STARLOCK)





Fein, Bosch (400W)  
(met STARLOCK MAX)

Fein SuperCut,  
Festool



DeWalt,  
Stanley Fatmax,  
Black&Decker




UN

SL

SC

DW

## SC02 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC02	1 PCS	QBL381755	Sawblade STANDARD, HCS
SC02	5 PCS	QBL381816	44mmx78mm
SC02	10+1 PCS	QBL381878	
SC02	100+15 PCS	QBL381939	

Also available for different interlock systems:




more information on page 19



more information on page 6

## SC04 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC04	1 PCS	QBL380017	Sawblade STANDARD, HCS
SC04	5 PCS	QBL380697	34mmx40mm
SC04	10+1 PCS	QBL380956	
SC04	100+15 PCS	QBL381090	

Also available for different interlock systems:



more information on page 40




more information on page 18



more information on page 6

## SC07 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC07	1 PCS	QBL380031	Sawblade STANDARD, HCS
SC07	5 PCS	QBL380710	20mmx40mm
SC07	10+1 PCS	QBL380970	
SC07	100+15 PCS	QBL381113	

Also available for different interlock systems:




more information on page 18



more information on page 6

## SC08 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC08	1 PCS	QBL380055	Sawblade STANDARD, HCS
SC08	5 PCS	QBL380734	65mmx42mm
SC08	10+1 PCS	QBL380994	
SC08	100+15 PCS	QBL381137	

Also available for different interlock systems:



more information on page 40




more information on page 18



more information on page 6



**SC06  
HCS**



Also available for different interlock systems:



more information on page 40



more information on page 18





more information on page 7

### Description:

High cutting speed and precision thanks to Japanese teeth. For all work activities with wood, plasterboard and plastic.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC06	1 PCS	QBL380079	Sawblade PRECISION, HCS
SC06	5 PCS	QBL380758	34mmx40mm
SC06	10+1 PCS	QBL381014	
SC06	100+15 PCS	QBL381151	

**SC09  
HCS**



Also available for different interlock systems:



more information on page 19



more information on page 7


### Description:

High cutting speed and precision thanks to Japanese teeth. For all work activities with wood, plasterboard and plastic.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC09	1 PCS	QBL381779	Sawblade PRECISION, HCS
SC09	5 PCS	QBL381830	68mmx42mm
SC09	10+1 PCS	QBL381892	
SC09	100+15 PCS	QBL381953	

**ALWAYS 10 + 1 FREE**

## SC03 BIM



Also available for different interlock systems:

### Description:


Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC03	1 PCS	QBL380093	Sawblade BIM,
SC03	5 PCS	QBL380772	34x40mm
SC03	10+1 PCS	QBL381038	
SC03	100+15 PCS	QBL381175	



more information on page 8

## SC11 BIM



Also available for different interlock systems:

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC11	1 PCS	QBL380499	Sawblade BIM,
SC11	5 PCS	QBL380819	45x60mm
SC11	10+1 PCS	QBL380659	
SC11	100+15 PCS	QBL381199	



more information on page 41





more information on page 20



more information on page 8

## SC12 BIM



Also available for different interlock systems:

### Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC12	1 PCS	QBL381793	Sawblade BIM,
SC12	5 PCS	QBL381854	44x78mm
SC12	10+1 PCS	QBL381915	
SC12	100+15 PCS	QBL381977	



more information on page 21



more information on page 8

## Q-FACT:

**THE RIGHT BLADE FOR EACH TASK**  
Use a HCS blade when cutting wood or plastic. Need to cut through aluminium profiles as well or scared to come across a nail in the wood? Better choose for a Bi-Metal blade then.  
All our blades are made extra robust to withstand the daily challenges of a professional.

# SC - WOOD & METAL

**SC13**  
**BIM**



TPI 19




Also available for different interlock systems:



DW13  
more information on page 41



SL13  
more information on page 20



UN13  
more information on page 9

## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC13	1 PCS	QBL382486	Sawblade BIM,
SC13	5 PCS	QBL382509	68mmx42mm
SC13	10+1 PCS	QBL382523	
SC13	100+15 PCS	QBL382547	

**SC15**  
**BIM**



TPI 20



Also available for different interlock systems:



DW15  
more information on page 41



SL15  
more information on page 20



UN15  
more information on page 9

## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC15	1 PCS	QBL380130	Sawblade BIM,
SC15	5 PCS	QBL380833	28mmx60mm
SC15	10+1 PCS	QBL381076	
SC15	100+15 PCS	QBL381212	


**SC20**  
**BIM**




TPI 20



Also available for different interlock systems:



SL20  
more information on page 20




UN20  
more information on page 9

## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC20	1 PCS	QBL380154	Segmentsawblade, BIM,
SC20	5 PCS	QBL380857	88mm
SC20	10+1 PCS	QBL381694	

**SC21**



TPI 20



Also available for different interlock systems:



SL20  
more information on page 20



UN21  
more information on page 9


## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC21	1 PCS	QBL381366	Segmensawblade, HSS
SC21	5 PCS	QBL381373	80mm
SC21	10+1 PCS	QBL381595	

**ALWAYS 10+1 FREE**

## SC30



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC30	1 PCS	QBL380215	DIAMOND
SC30	5 PCS	QBL381557	Segmentsawblade,
SC30	10+1 PCS	QBL381663	85mm 2mm

Also available for different interlock systems:



SL30


more information on page 22



UN30

more information on page 10

## SC32



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC32	1 PCS	QBL380239	DIAMOND Sawblade,
SC32	5 PCS	QBL381571	63mm
SC32	10+1 PCS	QBL381687	2mm


Also available for different interlock systems:



UN32

more information on page 10

## SC35



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC35	1 PCS	QBL380253	DIAMOND Sickle,
SC35	5 PCS	QBL381434	58mm
SC35	10+1 PCS	QBL381410	2mm

Also available for different interlock systems:



DW35

more information on page 42



SLM41


more information on page 23



UN35

more information on page 10

## SC36



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
SC36	1 PCS	QBL382325	DIAMOND Sickle,
SC36	5 PCS	QBL382363	58mm
SC36	10+1 PCS	QBL382400	1,4mm

Also available for different interlock systems:



SLM42

more information on page 23




UN36

more information on page 10





## SC40




### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC40	1 PCS	QBL380178	CARBIDE rasp, triangular,
SC40	5 PCS	QBL381519	80mm
SC40	10+1 PCS	QBL381625	

Also available for different interlock systems:



SL40

more information on page 22





UN40

more information on page 11

SC

## SC45



### Description:

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC45	1 PCS	QBL380192	CARBIDE,
SC45	5 PCS	QBL381533	Segmentsawblade,
SC45	10+1 PCS	QBL381649	63mm 2,2mm

Also available for different interlock systems:



SL45

more information on page 22



UN45

more information on page 11

**ALWAYS 10+1 FREE**

## SC70



### Description:

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC70	1 PCS	QBL380277	SEGMENTKNIVE, convex
SC70	5 PCS	QBL380871	52mm
SC70	10+1 PCS	QBL381304	0,9mm

Also available for different interlock systems:



SL71

more information on page 24



UN70

more information on page 12

## SC72




### Description:

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC72	1 PCS	QBL380291	SEGMENTKNIVE, concave
SC72	5 PCS	QBL380895	52mm
SC72	10+1 PCS	QBL381281	0,9mm

Also available for different interlock systems:



UN72

more information on page 12



## SC73



### Description:

Exceptionally well suited to remove old butylene luting.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC73	1 PCS	QBL381472	SEGMENTKNIVE, Sickle,
SC73	5 PCS	QBL381489	serrated
SC73	10+1 PCS	QBL381496	60mm 1,5mm

Also available for different interlock systems:



UN73  
more information on page 13

## SC75



### Description:

To remove soft materials such as felt, leather, polystyrene, kit, tile adhesive, linoleum and underlay protection.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC75	1 PCS	QBL380314	SEGMENTKNIVE, Sickle
SC75	5 PCS	QBL380918	55mm
SC75	10+1 PCS	QBL381267	0,9mm

Also available for different interlock systems:



UN75  
more information on page 13

## SC76



### Description:

Very strong blade to cut deep luting.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC76	1 PCS	QBL381052	CUTTINGKNIVE, pointy,
SC76	5 PCS	QBL381236	70mm
SC76	10+1 PCS	QBL381243	1,5mm

Also available for different interlock systems:



SLM76  
more information on page 24



UN76  
more information on page 13

## SC78



### Description:

For universal usage but especially well suited for cutting dilation joints.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC78	1 PCS	QBL380338	CUTTINGKNIVE, straight
SC78	5 PCS	QBL380932	30mmx85mm
SC78	10+1 PCS	QBL381335	1mm

Also available for different interlock systems:



SLM78  
more information on page 24



UN78  
more information on page 13

## SC51



### Description:

For universal use on nearly all materials such as wood, metal, fiberglass, plastic, paint, putty, welds and leather. Sanding pad with Velcro connection for finger-shaped sanding sheets.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
-------	------	----------	---------------------

SC51	2 PCS	QBL380376	SANDINGPAD, finger-shaped with Velcro 36mmx50mm
------	-------	-----------	---

Also available for different interlock systems:



UN51

more information on page 14

## SC52



### Description:

For universal use on nearly all materials such as wood, metal, fiberglass, plastic, paint, putty, welds and leather. Sanding pad with Velcro connection for triangular sanding sheets UN62.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
-------	------	----------	---------------------

SC52	2 PCS	QBL381991	SANDINGPAD, triangular perforated 93mm with Velcro
------	-------	-----------	--

Also available for different interlock systems:



SL52

more information on page 25



UN52

more information on page 14

## UN62



### Description:

Sandingsheets with different graining: P60, P80, P100, P120 en P240. Compatible with sandingpad UN52, SL52 of SC52.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
-------	------	----------	---------------------

UN62-P60	10 PCS	QBL382004	SANDINGSHEET, triangular, perforated In different grainings P60, P80, P100, P120 and P240
UN62-P80	10 PCS	QBL382011	
UN62-P100	10 PCS	QBL382028	
UN62-P120	10 PCS	QBL382035	
UN62-P240	10 PCS	QBL382042	

Also available for different interlock systems:

## UN65



### Description:


Sandingsheets with different graining: P60, P80, P100, P120 en P240. Compatible with sandingpad UN51 of SC51.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
-------	------	----------	---------------------

UN65-P60	20 PCS	QBL380437	SANDINGSHEET, finger-shaped with Velcro In different grainings P60, P80, P100, P120 and P240
UN65-P80	20 PCS	QBL380444	
UN65-P100	20 PCS	QBL380451	
UN65-P120	20 PCS	QBL380468	
UN65-P240	20 PCS	QBL380475	

Also available for different interlock systems:

## SC47



Also available for different interlock systems:

### Description:

For the rough grinding out of damaged tile joints and for the slot milling in plasterwork, cellular concrete and similar building material types as well as putty, tile grout, concrete, stone and wood.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC47	2PCS	QBL380550	SET contains 1xSC40 and SC45. CARBIDE-Set for Concrete & Stone



UN47

more information on page 15

## SC48



Also available for different interlock systems:

### Description:

Complete set for the delicate work, such as cutting out tile joints, small scale masonry or tiling. Also ideal for working of stone, epoxy, marble and concrete joints, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC48	3PCS	QBL380574	SET contains 1x SC30, SC32 and SC35. DIAMOND-Set for Concrete & Stone



UN48

more information on page 15

## SC90



Also available for different interlock systems:

### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics. The Bi-metal Sawblades are besides wood also suitable for various plastics, nails, copper and aluminum tubes and profiles.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC90	8PCS	QBL380598	Set contains 1x SC07, SC11, SC20, SC15, SC08, SC06, SC04 and SC03. Complete Set for Wood & Metal



UN90

more information on page 15

## SC91



Also available for different interlock systems:

### Description:

All standard and precision sawblades are applicable for wood, plasterboard and plastic. All BIM sawblades are applicable for wood, plasterboard, plastic and different metal materials such as nails, aluminium profiles and copper tubings.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC91	7PCS	QBL380611	Set contains 1x SC40, SC32, SC20, SC70, SC11, SC04 and SC06.

Total Set for all applications



UN91

more information on page 15

## SC92



### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.  
The Bi-metal Sawblades are besides wood also suitable for various plastics, nails, copper and aluminum tubes and profiles.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC92	4PCS	QBL380635	Set contains 1x SC11, SC08, SC06 and SC04. Standard Set for Wood & Metal

Also available for different interlock systems:



DW92

more information on page 43



SL92

more information on page 26



UN92

more information on page 16

## SC93



### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC93	10PCS +1PCS FREE	QBL380673	Set contains 5X SC04 and 6x SC06.  Standard Set for Wood

Also available for different interlock systems:



DW93

more information on page 43



SL93

more information on page 26



UN93

more information on page 16

## SC94



### Description:

All blades in this set are suitable to remove any kind of glue or luting, and to cut soft materials like leather, carpet, cardboard etc.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
SC94	4PCS	QBL381731	Set contains 1x SC70, SC72, SC73 and SC78. Standard Set for Glue & Luting

Also available for different interlock systems:



UN92

more information on page 16

## Q-FACT:

### THE SC INTERLOCK SYSTEM

This interlock system is suitable for all Fein SuperCut and Festool machines produced before 2017. Many brands also offer an adapter that enables the use of UN blades as well.



Bosch (met DiS),  
Milwaukee,  
Makita,  
Metabo,  
Hitachi/Hikoki,  
AEG, Ryobi,  
Dremel, Skill,  
Einhell, Ferm


**Qblades**



Fein Multimaster &  
Multitalent  
(met MultiMount)

WOOD+PLASTIC  
DW06

Fein Multimaster  
& Multitalent,  
Bosch  
(met STARLOCK)




Fein, Bosch (400W)  
(met STARLOCK MAX)

Fein SuperCut,  
Festool



DeWalt,  
Stanley Fatmax,  
Black&Decker




UN



SL

SC

DW



## DW04 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
DW04	1 PCS	QBL383315	Sawblade STANDARD, HCS
DW04	5 PCS	QBL383322	34x40mm
DW04	10+1 PCS	QBL383339	
DW04	100+15 PCS	QBL383346	

Also available for different interlock systems:



more information on page 6




more information on page 18



more information on page 28

## DW08 HCS



### Description:

Alternating serrations, for all work activities with wood, plasterboard and plastic.  
Simple incision in material at any location.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
DW08	1 PCS	QBL383353	Sawblade STANDARD, HCS
DW08	5 PCS	QBL383360	65x42mm
DW08	10+1 PCS	QBL383377	
DW08	100+15 PCS	QBL383384	

Also available for different interlock systems:



more information on page 6



more information on page 18




more information on page 28

## Q-FACT:

**THE DW INTERLOCK SYSTEM**  
This system is easily recognizable because of the open backside, which allows for an easy mounting on the machine. DW is suitable for all DeWALT, BLACK&DECKER and Stanley Fatmax machines.



## DW06 HCS



### Description:

High cutting speed and precision thanks to Japanese teeth. For all work activities with wood, plasterboard and plastic.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
DW06	1 PCS	QBL383391	Sawblade PRECISION, HCS
DW06	5 PCS	QBL383407	34x40mm
DW06	10+1 PCS	QBL383414	
DW06	100+15 PCS	QBL383421	

Also available for different interlock systems:



more information on page 7



more information on page 18




more information on page 29



# DW - WOOD & METAL

**DW11**  
**BIM**



Also available for different interlock systems:



more information on page 8



more information on page 20



more information on page 30

## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

DW11	1 PCS	QBL382066	SawbladeBIM,
DW11	5 PCS	QBL382073	45mmx60mm
DW11	10+1 PCS	QBL382080	
DW11	100+15 PCS	QBL382097	


## Q-FACT:

### OPTIMUM PRICE/PERFORMANCE RATIO

All Qblades are made from the best raw material and with robust toothing for a long life and are priced affordably. In short, more cuttingmeters for your money!



**DW13**  
**BIM**



Also available for different interlock systems:



more information on page 9



more information on page 20



more information on page 31



## Description:

Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

DW13	1 PCS	QBL383438	Sawblade BIM,
DW13	5 PCS	QBL383445	68x42mm
DW13	10+1 PCS	QBL383452	
DW13	100+15 PCS	QBL383469	

**DW15**  
**BIM**



Also available for different interlock systems:



more information on page 9



more information on page 20



more information on page 31

## Description:


Wide field of application thanks to Bi-Metal serration. Cuts wood, plastics, nails, copper and aluminium tubing and profiles with ease.

### TYPE: QTY: ART.NR.: PRODUCTINFORMATION:

DW15	1 PCS	QBL383476	Sawblade BIM,
DW15	5 PCS	QBL383483	28x60mm
DW15	10+1 PCS	QBL383490	
DW15	100+15 PCS	QBL383506	

**ALWAYS 10+1 FREE**

**DW35**



**Description:**

Suitable for the delicate work, such as tile joints, small scale masonry and tiling. Also for the grinding of stone, epoxy, marble and concrete joints, putty, tiles, holonite and for the slot milling in plasterwork, cellular concrete and similar building material types. Low dust development and very long service life!

TYPE:	QTY:	ART.NR.:	PRODUCT INFORMATION:
DW35	1 PCS	QBL383513	DIAMOND Sickle,
DW35	5 PCS	QBL383520	58mm
DW35	10+1 PCS	QBL383537	2mm

Also available for different interlock systems:



UN35

more information on page 10



SLM41

more information on page 23



SC35

more information on page 32



# DW-SETS



## DW92



Also available for different interlock systems:



UN92

more information on page 16



SL92

more information on page 26



SC92


more information on page 38

### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.  
The Bi-metal Sawblades are besides wood also suitable for various plastics, nails, copper and aluminum tubes and profiles.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
DW92	4PCS	QBL383551	Set contains 1x DW11, DW08, DW06 and DW04. Standard Set for Wood & Metal

## DW93



Also available for different interlock systems:



UN93

more information on page 16



SL93

more information on page 26



SC93

more information on page 38

### Description:

All standard Sawblades are suitable for wood, plasterboard and soft plastics.

TYPE:	QTY:	ART.NR.:	PRODUCTINFORMATION:
DW93	10PCS +1ST FREE	QBL383544	Set contains 5X DW04 and 6x DW06. Standard Set for Wood

**ALWAYS 10+1 FREE**



# NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

---

---





Bosch (met OIS),  
Milwaukee,  
Makita,  
Metabo,  
Hitachi/Hikoki,  
AEG, Ryobi,  
Dremel, Skill,  
Einhell, Ferm



Fein Multimaster &  
Multitalent  
(met MultiMount)

Pagina 6 t/m 16


Fein Multimaster  
& Multitalent,  
Bosch  
(met STARLOCK)



Fein, Bosch (400W)  
(met STARLOCK MAX)


Pagina 18 t/m 26

Fein SuperCut,  
Festool



Pagina 28 t/m 38

DeWalt,  
Stanley Fatmax,  
Black&Decker



Pagina 40 t/m 43