



THE CHOICE OF PROFESSIONALS

**CATALOGUE
VALID FROM MAY 2025**

Subject to printing errors and changes.

DEAR PROFESSIONALS,



As always, the past year saw plenty of developments in the world of construction. And that's a good thing — because there has been a huge amount of building, renovating, and installing going on in recent years.

Of course, we've been working on exciting new developments as well. Our range has expanded significantly: in addition to multitool saw blades, we now also supply jigsaw and reciprocating saw blades. After two years of thorough testing, We've found blades that meet our high quality standards for each type — allowing us to launch the new range with full confidence.

And less than a year later, it already feels like Qblades has been a household name in the world of jigsaw and reciprocating blades for years. When we ask the market about it, we hear: "That's exactly the strength of Qblades!"

That kind of compliment gives us the energy to keep pushing forward — and the next expansion is already lined up: circular saw blades. The first tests will start soon, and we expect to launch the new blades at the beginning of 2026.

Next to expanding our product range, we've also been working on the positioning of Qblades. And of course, that includes a new catalogue — fresh in style and updated in content, so you have the right trade-specific information at hand, laid out clearly and with attention to every detail.

We wish you the best of luck — and above all, lots of fun on your next project.

Daan & George
Managing Directors

INDEX



SL

WOOD & PLASTIC

SL04	11
SL05	11
SL06	11
SL08	12
SL09	12
SL16	12
SL18	12

WOOD & METAL

SL03	13
SL07	13
SL10	13
SL13	14
SL15	14
SL20	14
SL81	14

BRICK & GROUT

SL31	15
SL40	15
SL45	16
SL46	16

GLUE & SILICONE

SL70	17
SL71	17
SL77	17

SANDING

SL51	18
SL52	18

SETS

SL92	19
SL93	19



SLP

WOOD & PLASTIC

SLP08	21
SLP09	21

WOOD & METAL

SLP11	22
SLP15	22
SLP83	22

BRICK & GROUT

SLP34	23
SLP44	23



SLM

WOOD & PLASTIC

SLM01	25
SLM02	25

WOOD & METAL

SLM12	26
SLM17	26

BRICK & GROUT

SLM41	27
SLM42	27

GLUE & SILICONE

SLM76	28
SLM78	28



DW

WOOD & PLASTIC

DW02	31
DW04	31
DW06	31
DW08	32
DW09	32

WOOD & METAL

DW03	33
DW11	33
DW12	33
DW13	34
DW15	34
DW20	34
DW82	34

BRICK & GROUT

DW30	35
DW35	35
DW36	35
DW40	36
DW45	36

GLUE & SILICONE

DW70	37
DW76	37
DW78	37

SANDING

DW51	38
DW52	38

SETS

DW92	39
DW93	39





UN

WOOD & PLASTIC

UN02	41
UN04	41
UN06	41
UN07	42
UN08	42
UN09	42

WOOD & METAL

UN03	43
UN11	43
UN12	43
UN13	44
UN15	44
UN20	44
UN21	45
UN82	45

BRICK & GROUT

UN30	46
UN32	46
UN35	46
UN36	47
UN40	47
UN45	47

GLUE & SILICONE

UN70	48
UN72	48
UN73	48
UN75	49
UN76	49
UN78	49

SANDING

UN51	50
UN52	50
UN62	50
UN65	50

SETS

UN92	51
UN93	51



SC

WOOD & PLASTIC

SC02	53
SC04	53
SC06	53
SC07	54
SC08	54
SC09	54

WOOD & METAL

SC03	55
SC11	55
SC12	55
SC13	56
SC15	56
SC20	56
SC21	56

BRICK & GROUT

SC30	57
SC32	57
SC35	57
SC36	58
SC40	58
SC45	58

GLUE & SILICONE

SC70	59
SC72	59
SC73	59
SC75	60
SC76	60
SC78	60

SANDING

SC51	61
SC52	61

SETS

SC92	63
SC93	63



RECIPRO

WOOD

QRC0109	67
QRC0206	67
QRC0308	67
QRC0809	68
QRC0812	68

WOOD & NAILS

QRC1109	69
QRC1112	69
QRC1206	69
QRC1309	69
QRC1312	70
QRC1406	70
QRC1409	70
QRC1512	70

ALL-ROUNDERS - DEMOLITION

QRC2209	71
QRC2212	71
QRC2406	71
QRC2508	71
QRC2806	72
QRC2809	72

THICK METAL (4-12MM)

QRC3806	73
QRC3809	73
QRC3812	73

MEDIUM METAL (1,5-8mm)

QRC5104	74
QRC5106	74
QRC5109	74
QRC5306	74
QRC5309	75
QRC5806	75
QRC5809	75
QRC5812	75

THIN METAL (1-1.5MM)

QRC6106	76
QRC6109	76
QRC6804	76
QRC6806	76

HOLLOW BRICK

QRC7909	77
QRC7812	77



JIGSAW

WOOD (HCS)

QDC0101	81
QDC0202	81
QDC0302	81
QDC0402	82
QDC0502	82

WOOD (BIM)

QDC1101	83
QDC1202	83
QDC1302	83
QDC1402	84
QDC1502	84
QDC1702	84

ALL-ROUNDERS

QDC1204	85
QDC8204	85

THICK METAL (3-6MM)

QDC1303	86
QDC2303	86

MEDIUM METAL (1.5-3MM)

QDC1404	87
QDC1405	87
QDC2404	87

THIN METAL (0.4-1.2MM)

QDC1505	88
QDC2505	88
QDC8505	88

SPECIAL APPLICATIONS

QDC8130	89
QDC8706	89
QDC9150	89

STORE PRESENTATION



Q-Counter

COUNTER DISPLAY
80x60cm

- ✓ The solution for all multitools
- ✓ Clear product assortment
- ✓ 100% plastic-free
- ✓ Fast and technical customer service
- ✓ Always in stock and shipped within 24 hours on working days



Q-Wall

FLOOR STAND
240x100cm



Q-Tower

STORE PILLAR
40x200cm



MULTITOOL





ESSENTIAL FOR EVERY PROFESSIONAL

A multi-tool is the ultimate allrounder, that truly belongs in every professional's toolbox. Whether you're cutting wood to size, removing old tiles, or slicing through a metal pipe – with the right blade; it's all possible. Our extensive range is perfectly tailored to every task.

- ✓ **For wood and PVC**, you use an HCS saw blade.
- ✓ When you need to cut through **nails, profiles, or metal**, it's best to use a bi-metal saw blade.
- ✓ For **stone, concrete, or tiles**, use a carbide or diamond saw blade.
- ✓ For extremely hard materials like **hardened steel or screws**, choose a carbide saw blade – its extra tough and wear-resistant.
- ✓ You can also use a multitool to **remove sealant and adhesive residues**.
- ✓ We also offer the right accessories for **sanding**.



HCS (High Carbon Steel) is a flexible and sharp type of steel.



HSS (High-Speed Steel) is a wear-resistant type of steel with high heat resistance.



BIM (Bi-metal) combines HSS and HCS, providing both flexibility and wear resistance.



Carbide teeth and a TiN coating, provide extreme wear resistance.



MAKE THE RIGHT CHOICE

1 WHICH SYSTEM DO YOU USE?



STARLOCK MAX



STARLOCK PLUS



STARLOCK



MULTIMOUNT



OIS



OPEN BACK



SUPERCUT

2 CHOOSE THE RIGHT FITMENT



SLM



SLP



SL



SLP



SL




SLP



SL



UN




DW




SL




UN



DW



DW



SC

3 CHOOSE THE DESIRED APPLICATION

WOOD
& PLASTICS

WOOD
& NAILS

METAL

GROUT
& STONE

SEALANT
& ADHESIVE

SANDING



SL



The SL (Starlock) connection is compatible with the **Starlock system** for multitool accessories, jointly developed by Bosch and Fein. It was introduced to offer a universal interface compatible with various brands, including Bosch, Fein, Makita, Festool, Flex, and Hikoki.



The Starlock system uses a 3D-shaped connection that ensures optimal power transmission between the machine and the accessory. This allows the power to be transferred more efficiently, resulting in better performance and more precise work. In addition, this connection enables quick and easy accessories changes, saving time and speeding up the workflow.

There are three variants within the Starlock system: Starlock, StarlockPlus, and StarlockMax. These variants are designed to ensure compatibility with machines of different power classes. Starlock is suitable for standard applications, StarlockPlus for heavier tasks, and StarlockMax for the most demanding jobs. Since its introduction in 2016, the Starlock system has become the new standard for multitool

accessories. It offers users the flexibility to use accessories from different brands, making it a versatile and future-proof choice for both professionals and DIYers looking for reliability and efficiency in their work.

The SL saw blades are also equipped with the OIS system (12-pin) and the Multimount system (central star), making them compatible with all older machines with an OIS or Multimount interface.





SL04

35X50MM

HCS



TPI 18

To use as:
Fein 133


Easy plunge cuts in material at any location.
Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:


DW04
p.31

UN04
p.41

SC04
p.53

VPE	ART.NR.
1 ST	QBL382103
5 ST	QBL382165
10+1 ST	QBL382219
100+15 ST	QBL382431

SL05

35X55MM

HCS

CURVED



TPI 18

To use as:
Fein 227


Easy plunge cuts in material at any location.
Length to holder 50mm. Thickness 0.6mm

Wood, plastics and plasterboard.

VPE	ART.NR.
1 ST	QBL383841
5 ST	QBL383858
10+1 ST	QBL383865
100+15 ST	QBL383872

SL06

35X50MM

HCS

PRECISION



TPI 14

To use as:
Fein 126


High speeds and precision thanks to the double tooth rows.
Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:


DW06
p.31

UN06
p.41

SC06
p.53

VPE	ART.NR.
1 ST	QBL382127
5 ST	QBL382233
10+1 ST	QBL382271
100+15 ST	QBL382448



WOOD & PLASTIC

SL08

65X50MM

HCS


CURVED


To use as:
Fein 225


Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:




VPE	ART.NR.
1 ST	QBL382110
5 ST	QBL382172
10+1 ST	QBL382226
100+15 ST	QBL382455

SL09

65X50MM

HCS


PRECISION


To use as:
Fein 230


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:




VPE	ART.NR.
1 ST	QBL382134
5 ST	QBL382189
10+1 ST	QBL382240
100+15 ST	QBL382554

SL16

35X50MM

BIM

LONG
LIFE
PRECISION

To use as:
Fein 205


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.8mm

Wood, plastics and plasterboard.


VPE	ART.NR.
1 ST	QBL384695
5 ST	QBL384701
10+1 ST	QBL384718
100+15 ST	QBL384992

SL18

50X50MM

BIM

LONG
LIFE
PRECISION

To use as:
Fein 232


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.8mm

Wood, plastics and plasterboard.

VPE	ART.NR.
1 ST	QBL384725
5 ST	QBL384732
10+1 ST	QBL384749
100+15 ST	QBL385005



SL03

35X50MM

BIM

LONG
LIFE

To use as:
Fein 160



TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



DW03 UN03 SC03
p.33 p.43 p.55

VPE	ART.NR.
1 ST	QBL384664
5 ST	QBL384671
10+1 ST	QBL384688
100+15 ST	QBL384985

SL07

20X40MM

BIM

LONG
LIFE

To use as:
Fein 183



TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



UN07 SC07
p.42 p.54

VPE	ART.NR.
1 ST	QBL382882
5 ST	QBL382899
10+1 ST	QBL382905
100+15 ST	QBL382912

SL10

44X55MM

BIM

LONG
LIFE

To use as:
Fein 223



TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 47mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



SLP11 DW11 UN11 SC11
p.22 p.33 p.43 p.55

VPE	ART.NR.
1 ST	QBL382653
5 ST	QBL382677
10+1 ST	QBL382691
100+15 ST	QBL382714


WOOD & METAL

SL13

65X50MM

BIM

LONG
LIFE


To use as:
Fein 228


TPI 19

Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL382660
5 ST	QBL382684
10+1 ST	QBL382707
100+15 ST	QBL382721

SL15

28X55MM

BIM

LONG
LIFE


To use as:
Fein 222


TPI 19

Wide range of applications due to Bi-metal teeth.
Length to holder 47mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL382141
5 ST	QBL382196
10+1 ST	QBL382257
100+15 ST	QBL382462

SL20

85MM

HSS


To use as:
Fein 106


TPI 20

Wide range of applications due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL383032
5 ST	QBL383049
10+1 ST	QBL383056

SL81

35X45MM

CARBIDE
PRO

50x LONG
LIFE


To use as:
Fein 236


TPI 20

Thanks to the TiN coating, this saw blade is extremely
wear-resistant. Length to holder 32mm.

Wood, plastics, metal, stainless steel, hardened screws, brick,
masonry and cement fiber boards.

Available arbors:



VPE	ART.NR.
1 ST	QBL383001
5 ST	QBL383018
10+1 ST	QBL383025



SL31

90X2MM




To use as:
Fein 166



For grinding out joints and creating grooves.
Low dust emission. Diamond. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



VPE	ART.NR.
1 ST	QBL383124
5 ST	QBL383131
10+1 ST	QBL383148

SL40

80MM




To use as:
Fein 001



This carbide rasp is suitable for coarse grinding of surfaces.
Grit 30-40.

Filler, tilespecie, concrete, steen and hout.

Available arbors:



VPE	ART.NR.
1 ST	QBL383063
5 ST	QBL383070
10+1 ST	QBL383087

BRICK & GROUT

SL45

75X2.2MM




To use as:
Fein 118



For grinding out joints and creating grooves.
Low dust emission. Carbide. Grit 60-80.

Stone, epoxy, cement joints, putty, tiles, hollow concrete
and aerated concrete.

Available arbors:



VPE	ART.NR.
1 ST	QBL383094
5 ST	QBL383100
10+1 ST	QBL383117

SL46

75X1.2MM



To use as:
Fein 125



For grinding out joints and creating grooves.
Low dust emission. Carbide. Grit 30-40.

Stone, epoxy, cement joints, putty, tiles, hollow concrete
and aerated concrete.

VPE	ART.NR.
1 ST	QBL383780
5 ST	QBL383797
10+1 ST	QBL383803

GLUE & SILICONE

SL70

50X0.8MM




To use as:
Fein 226



Stable blade for cutting soft materials.
Shape: straight. Length to holder 34mm.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



VPE	ART.NR.
1 ST	QBL384138
5 ST	QBL384145
10+1 ST	QBL384152

SL71

52X0.5MM



To use as:
Fein 165



Flexible blade for cutting soft materials.
Shape: straight. Length to holder 28mm.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

VPE	ART.NR.
1 ST	QBL383216
5 ST	QBL383223
10+1 ST	QBL383230

SL77

35X40MM



To use as:
Fein 251



V-cuts and cutting in corners.
Also suitable for cutting bitumen.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

VPE	ART.NR.
1 ST	QBL384756
5 ST	QBL384763
10+1 ST	QBL384770



SL51

36X85MM




To use as:
Fein 159



Ideal for the smallest corners and precision work.
Suitable for sanding pads UN65. With hook-and-loop.
Thickness 6.8mm.

Available arbors:



DW51 p.38 UN51 p.50 SC51 p.61

VPE	ART.NR.
2 ST	QBL385708

UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL380437
30 ST	80	QBL380444
30 ST	100	QBL380451
30 ST	120	QBL380468
30 ST	240	QBL380475

SL52

93MM




To use as:
Fein 129



Sanding plate suitable for all sanding pads type UN62.
Perforated, with hook-and-loop.

Available arbors:



DW52 p.38 UN52 p.50 SC52 p.61

VPE	ART.NR.
2 ST	QBL385708

UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL382004
30 ST	80	QBL382011
30 ST	100	QBL382028
30 ST	120	QBL382035
30 ST	240	QBL382042

SETS

SL92




The HCS saw blades in this set are suitable for all tasks involving wood, drywall, and plastic. They allow for easy plunge cuts anywhere in the material. The BIM saw blade in this set are ideal for cutting wood, plastics, nails, copper and aluminum pipes, and profiles.

Set includes:

- 1x SL04
- 1x SL06
- 1x SL08
- 1x SL15

VPE	ART.NR.
SET A 4ST	QBL382561

SL93



The saw blades in this set are suitable for all tasks involving wood, drywall, and plastic. They allow for easy plunge cuts anywhere in the material.

Set includes:

- 5x SL04
- 6x SL06

VPE	ART.NR.
SET A 11ST	QBL382578



SLP

STARLOCK PLUS
MADE IN GERMANY

The SLP (StarlockPlus) connection is compatible with the **StarlockPlus system** for multitool accessories, jointly developed by Bosch and Fein. Designed for medium to heavy-duty applications, SLP offers improved power transmission and versatility for both professionals and demanding DIYers.



The StarlockPlus system uses a 3D interface with an eight-pointed star-shaped connection for efficient power transfer, minimizing vibrations and increasing precision. The 'click' mechanism allows for quick, tool-free accessory changes, saving time.

StarlockPlus accessories are suitable for multitools with medium to high power and can be used for working with wood, plastics, and metal. The system offers a wide range of accessories for various tasks such as sawing, sanding, scraping, and grinding — with great versatility and precision.

StarlockPlus accessories fit all Starlock machines. The SLP products marketed by Bosch are also equipped with the OIS system (12-pin), making the blades compatible with older machines that have an OIS interface. The SLP saw blades offered by Fein feature the Multimount system (central star), which makes them compatible with older machines using a Multimount connection.




WOOD & PLASTIC

SLP08

65X50MM

HCS


To use as:
Fein 134


Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:


SL08
p.12

DW08
p.32

UN08
p.42

SC08
p.54

VPE	ART.NR.
1 ST	QBL383889
5 ST	QBL383896
10+1 ST	QBL383902
100+15 ST	QBL383919

SLP09

65X50MM

HCS

PRECISION


To use as:
Fein 127


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:


SL09
p.12

DW09
p.32

UN09
p.42

SC09
p.54

VPE	ART.NR.
1 ST	QBL383926
5 ST	QBL383933
10+1 ST	QBL383940
100+15 ST	QBL383957



SLP11

44X60MM

BIM

LONG
LIFE

To use as:

Fein 152




TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 47mm. Thickness 0.8mm

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:


SL10
p.9

DW11
p.29

UN11
p.39

SC11
p.51

VPE	ART.NR.
1 ST	QBL383964
5 ST	QBL383971
10+1 ST	QBL383988
100+15 ST	QBL383995

SLP15

28X60MM

BIM

LONG
LIFE

To use as:

Fein 151




TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 54mm. Thickness 0.8mm

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:


SL15
p.14

DW15
p.34

UN15
p.44

SC15
p.56

VPE	ART.NR.
1 ST	QBL384008
5 ST	QBL384015
10+1 ST	QBL384022
100+15 ST	QBL384039

SLP83

35X50MM

CARBIDE
PRO

50x LONG
LIFE

To use as:

Fein 237



TPI 20



Thanks to the TiN coating, this saw blade is extremely
wear resistant. Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, metal, stainless steel, hardened
screws, brick, masonry and cement fiber boards.

Available arbors:


UN82
p.45

VPE	ART.NR.
1 ST	QBL384046
5 ST	QBL384053
10+1 ST	QBL384060

BRICK & GROUT

SLP34

35X50MM



To use as:
Fein 193



For grinding out joints and creating grooves. Low dust emission. Diamond. Thickness 1.2mm

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



DW35
p.31



UN35
p.42



SC35
p.53

VPE	ART.NR.
1 ST	QBL384077
5 ST	QBL384084
10+1 ST	QBL384091

SLP44

35X50MM



To use as:
Fein 191



For grinding out joints and creating grooves. Low dust emission. Carbide. Thickness 2mm.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

VPE	ART.NR.
1 ST	QBL384107
5 ST	QBL384114
10+1 ST	QBL384121



SLM

STARLOCK MAX
MADE IN GERMANY

The SLM (StarlockMax) connection is compatible with the most advanced **Starlock system**, developed by Bosch and Fein. This system is designed for heavy-duty professional applications that require maximum power and performance.



“The StarlockMax system uses an innovative 3D interface that ensures direct and efficient power transmission between the machine and the accessory. This solid connection minimizes vibrations and increases precision during work. Accessories can be quickly changed with a simple ‘click’ and without additional tools, saving time and improving workflow.

StarlockMax accessories are specifically designed for high-powered multitools with a wide oscillation range. They are suitable for working on hard materials such as metal, stone, and hardwood, and can handle tasks like deep cutting, grinding, and scraping. The system offers a broad range of accessories, each optimized for specific applications, providing professionals with both versatility and precision in their work.

A key advantage is its compatibility with other Starlock levels. While StarlockMax accessories only fit StarlockMax machines due to their higher power requirements, Starlock and StarlockPlus accessories can also be used on StarlockMax machines. This provides flexibility when selecting accessories for different jobs.

In short, the StarlockMax system represents the pinnacle of power and efficiency in the world of multitools — ideal for professionals who demand the very best from their tools and accessories.



WOOD & PLASTIC

SLM01

32X78MM

HCS



To use as:
Fein 200

TPI 15

Easy plunge cuts in material at any location.

Length to holder 68mm. Thickness 0.6mm

Wood, plastics and plasterboard.

VPE	ART.NR.
1 ST	QBL382806
5 ST	QBL382813
10+1 ST	QBL382820
100+15 ST	QBL382837

SLM02

42X78MM

HCS



To use as:
Fein 202


TPI 15

Easy plunge cuts in material at any location.

Length to holder 68mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL382844
5 ST	QBL382851
10+1 ST	QBL382868
100+15 ST	QBL382875



SLM12

42X78MM

BIM

**LONG
LIFE**

To use as:

Fein 203



TPI 18



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



DW12
p.33



UN12
p.43



SC12
p.55

VPE	ART.NR.
1 ST	QBL382967
5 ST	QBL382974
10+1 ST	QBL382981
100+15 ST	QBL382998

SLM17

32X78MM

BIM

**LONG
LIFE**

To use as:

Fein 211



TPI 18



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

VPE	ART.NR.
1 ST	QBL382929
5 ST	QBL382936
10+1 ST	QBL382943
100+15 ST	QBL382950

BRICK & GROUT

SLM41

58X2.2MM




To use as:
Fein 241



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45. Thickness 2.2mm.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



DW35 UN35 SC35
p.35 p.45 p.57

VPE	ART.NR.
1 ST	QBL383155
5 ST	QBL383162
10+1 ST	QBL383179

SLM42

58X1.2MM




To use as:
Fein 240



Deze hardmetalen rasp is geschikt voor het grof slijpen van oppervlaktes. Korrel 30-40. Thickness 1.2mm.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



DW36 UN36 SC36
p.35 p.47 p.58

VPE	ART.NR.
1 ST	QBL383186
5 ST	QBL383193
10+1 ST	QBL383209



GLUE & SILICONE

SLM76

65x2mm




To use as:
Fein 238



Ideal for removing sealant/expansion joints.
Super steady!

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



DW76 p.37 UN76 p.48 SC76 p.59

VPE	ART.NR.
1 ST	QBL383247
5 ST	QBL383254
10+1 ST	QBL383261

SLM78

30X85MM




To use as:
Fein 236



Universal blade for removing almost all expansion joints.
Thickness 0.9mm.


*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



DW78 p.37 UN78 p.48 SC78 p.59


VPE	ART.NR.
1 ST	QBL383278
5 ST	QBL383285
10+1 ST	QBL383292





DW

The DW (DeWalt) connection is suitable for multitools with the **OpenBack-system** and refers to a design where the rear of the connection is open, allowing users to change accessories quickly and easily. This increases efficiency and ease of use.



A key feature of the Open Back system is the strong tension spring, which functions as a release mechanism. You hold down the lever, which opens a connection anchor. Then, you slide in the saw blade and release the lever. The blade is now automatically secured and locked in place, allowing for extremely fast accessory changes.

The Open Back system is a smart and easy-to-use system — an attractive option for professionals looking for a user-friendly and efficient multitool.

In addition, the DW connection is also compatible with almost all machines that use an OIS system (12-pin) or a Multimount system (central star).




WOOD & PLASTIC

DW02

44X78MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:




VPE	ART.NR.
1 ST	QBL384787
5 ST	QBL384794
10+1 ST	QBL394800
100+15 ST	QBL384817

DW04

34X40MM


HCS



Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:




VPE	ART.NR.
1 ST	QBL383315
5 ST	QBL383322
10+1 ST	QBL383339
100+15 ST	QBL383346

DW06

34X40MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm

Wood, plastics and plasterboard.

Available arbors:




VPE	ART.NR.
1 ST	QBL383391
5 ST	QBL383407
10+1 ST	QBL383414
100+15 ST	QBL383421

WOOD & PLASTIC

DW08

65X42MM


HCS



Easy plunge cuts in material at any location.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL383353
5 ST	QBL383360
10+1 ST	QBL383377
100+15 ST	QBL383384

DW09

68X42MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL383568
5 ST	QBL383575
10+1 ST	QBL383582
100+15 ST	QBL383599

WOOD & METAL

DW03

34X40MM

BIM


LONG
LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



VPE	ART.NR.
1 ST	QBL384824
5 ST	QBL384831
10+1 ST	QBL384848
100+15 ST	QBL384855

DW11

45X60MM

BIM


LONG
LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 57mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



VPE	ART.NR.
1 ST	QBL382066
5 ST	QBL382073
10+1 ST	QBL382080
100+15 ST	QBL382097

DW12

44X78MM

BIM


LONG
LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



VPE	ART.NR.
1 ST	QBL384862
5 ST	QBL384879
10+1 ST	QBL384886
100+15 ST	QBL384893

WOOD & METAL

DW13

68X42MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL383438
5 ST	QBL383445
10+1 ST	QBL383452
100+15 ST	QBL383469

DW15

28X60MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL383476
5 ST	QBL383483
10+1 ST	QBL383490
100+15 ST	QBL383506

DW20

88MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:




VPE	ART.NR.
1 ST	QBL383605
5 ST	QBL383612
10+1 ST	QBL383629

DW82

35X40MM

CARBIDE PRO


50x LONG LIFE



Thanks to the TiN coating, this saw blade is extremely wear-resistant. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL384169
5 ST	QBL384176
10+1 ST	QBL384183



DW30

80X2MM



For grinding out joints and creating grooves.
Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SL31
p.15



UN30
p.46



SC30
p.57

VPE	ART.NR.
1 ST	QBL383636
5 ST	QBL383643
10+1 ST	QBL383650

DW35

58X2MM



For grinding out joints and creating grooves.
Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SLP34
p.23



SLM41
p.27



UN35
p.46



SC35
p.57

VPE	ART.NR.
1 ST	QBL383513
5 ST	QBL383520
10+1 ST	QBL383537

DW36

58X1.4MM



For grinding out joints and creating grooves.
Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SLM42
p.27



UN36
p.47



SC36
p.58

VPE	ART.NR.
1 ST	QBL384954
5 ST	QBL384961
10+1 ST	QBL384978

BRICK & GROUT

DW40


80MM



This carbide rasp is suitable for coarse grinding of surfaces.
Grit 30-40.

Filler, tilespecie, concrete, stone and wood.

Available arbors:



SL40 p.15 UN40 p.47 SC40 p.58

VPE	ART.NR.
1 ST	QBL383667
5 ST	QBL383674
10+1 ST	QBL383681

DW45


63X2.2MM



For grinding out joints and creating grooves.
Low dust emission. Carbide. Grit 60-80.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SL45 p.16 UN45 p.47 SC45 p.58

VPE	ART.NR.
1 ST	QBL383698
5 ST	QBL383704
10+1 ST	QBL383711



DW70

52X0.9MM



Stable blade for cutting soft materials. Shape: round. Length up to holder 28mm.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



SL70
p.13



UN70
p.44



SC70
p.55

VPE	ART.NR.
1 ST	QBL383728
5 ST	QBL383735
10+1 ST	QBL383742

DW76

70X1.5MM



Ideal for removing sealant joints/expansion joints. Super stable!

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



SLM76
p.24



UN76
p.45



SC76
p.56

VPE	ART.NR.
1 ST	QBL383759
5 ST	QBL383766
10+1 ST	QBL383773

DW78

30X85MM



Universal blade for removing almost all expansion joints. Thickness 0.9mm.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



SLM78
p.24



UN78
p.45



SC78
p.56

VPE	ART.NR.
1 ST	QBL384909
5 ST	QBL384916
10+1 ST	QBL384923




DW51

36X50MM



Ideal for the smallest corners and precision work. Suitable for sanding pads UN65. With hook-and-loop. Thickness 6.8mm.

Available arbors:



VPE	ART.NR.
2 ST	QBL384930

UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL380437
30 ST	80	QBL380444
30 ST	100	QBL380451
30 ST	120	QBL380468
30 ST	240	QBL380475


DW52

93MM



Sanding pad base suitable for all sanding pads type UN62. Perforated, with hook-and-loop.

Available arbors:



VPE	ART.NR.
2 ST	QBL384947

UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL382004
30 ST	80	QBL382011
30 ST	100	QBL382028
30 ST	120	QBL382035
30 ST	240	QBL382042

SETS

DW92



The HCS saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material. With the BIM saw blade in this set, you can cut wood, plastics, nails, copper and aluminium pipes, and profiles.

Set includes:

- 1x DW04
- 1x DW06
- 1x DW08
- 1x DW11

VPE	ART.NR.
SET A 4ST	QBL383551

DW93



The saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material.

Set includes:

- 5x DW04
- 6x DW06

VPE	ART.NR.
SET A 11ST	QBL383544



UN

The UN connection is compatible with both the **OIS system (Oscillating Interface System)** and the **MultiMount system**, and has improved compatibility between different brands and accessories. The system was introduced by Bosch and Fein and was designed to offer a universal interface for oscillating tools.



The OIS system uses a 12-pin configuration, which ensures accessories are securely and firmly attached to the multitool. This design provides efficient power transmission and reduces vibrations during use, allowing for more precise and comfortable work.

The MultiMount system is recognizable by the symmetrical cross in the center of the connection. It was marketed by Fein for the popular Multimaster and Multitalent machines.

With the introduction of UN saw blades, it became easier for users to switch accessories and use multitools more flexibly for various tasks such as sawing, sanding, and scraping. Although newer systems like Starlock have since been developed, OIS and MultiMount remain widely used and reliable standards in the world of multitools.





UN02

44X78MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.8mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL381748
5 ST	QBL381809
10+1 ST	QBL381861
100+15 ST	QBL381922

UN04

34X40MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.8mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL380000
5 ST	QBL380680
10+1 ST	QBL380949
100+15 ST	QBL381083

UN06

34X40MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL380062
5 ST	QBL380741
10+1 ST	QBL381007
100+15 ST	QBL381144

WOOD & PLASTIC

UN07

20X40MM


HCS



Easy plunge cuts in material at any location.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL07 p.13 SC07 p.54

VPE	ART.NR.
1 ST	QBL380024
5 ST	QBL380703
10+1 ST	QBL380963
100+15 ST	QBL381106

UN08

65X42MM


HCS



Easy plunge cuts in material at any location.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL08 p.12 SLP08 p.21 DW08 p.32 SC08 p.54

VPE	ART.NR.
1 ST	QBL380048
5 ST	QBL380727
10+1 ST	QBL380987
100+15 ST	QBL381120

UN09

68X42MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL09 p.12 SLP09 p.21 DW09 p.32 SC09 p.54

VPE	ART.NR.
1 ST	QBL381762
5 ST	QBL381823
10+1 ST	QBL381885
100+15 ST	QBL381946



UN03

34X40MM

BIM


LONG
LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



VPE	ART.NR.
1 ST	QBL380086
5 ST	QBL380765
10+1 ST	QBL381021
100+15 ST	QBL381168

UN11

45X60MM

BIM


LONG
LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 57mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



VPE	ART.NR.
1 ST	QBL380482
5 ST	QBL380802
10+1 ST	QBL380642
100+15 ST	QBL381182

UN12

44X78MM

BIM


LONG
LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



VPE	ART.NR.
1 ST	QBL381786
5 ST	QBL381847
10+1 ST	QBL381908
100+15 ST	QBL381960


WOOD & METAL

UN13

68X42MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL382479
5 ST	QBL382493
10+1 ST	QBL382516
100+15 ST	QBL382530

UN15

28X60MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL380123
5 ST	QBL380826
10+1 ST	QBL381069
100+15 ST	QBL381205

UN20

88MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes
and profiles.

Available arbors:




VPE	ART.NR.
1 ST	QBL380147
5 ST	QBL380840
10+1 ST	QBL381601

WOOD & METAL

UN21

80MM

HSS



Wide range of applications due to HSS (High Speed Steel) teeth. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SC21
p.26

VPE	ART.NR.
1 ST	QBL381342
5 ST	QBL381359
10+1 ST	QBL381588

UN82

35X40MM

CARBIDE PRO

50x LONG LIFE



Thanks to the TiN coating, this saw blade is extremely wear-resistant. Thickness 0.8mm.

Wood, plastics, metal, stainless steel, hardened screws, brick, masonry and cement fiber boards.

Available arbors:



SL81
p.14



SLP83
p.22



DW82
p.34

VPE	ART.NR.
1 ST	QBL383810
5 ST	QBL383827
10+1 ST	QBL383834



UN30


85X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SL31 p.15 DW30 p.35 SC30 p.57

VPE	ART.NR.
1 ST	QBL380208
5 ST	QBL381540
10+1 ST	QBL381656

UN32

63X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SC32 p.57

VPE	ART.NR.
1 ST	QBL380222
5 ST	QBL381564
10+1 ST	QBL381670

UN35


58X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SLM41 p.27 DW35 p.35 SC35 p.57

VPE	ART.NR.
1 ST	QBL380246
5 ST	QBL381427
10+1 ST	QBL381403

BRICK & GROUT

UN36


58X1.4MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SLM42 p.27 DW36 p.35 SC36 p.58

VPE	ART.NR.
1 ST	QBL382301
5 ST	QBL382349
10+1 ST	QBL382387

UN40


80MM



This carbide rasp is suitable for coarse grinding of surfaces. Grit 30-40.

Filler, tilespecie, concrete, steen and hout.

Available arbors:



SL40 p.15 DW40 p.36 SC40 p.58

VPE	ART.NR.
1 ST	QBL380161
5 ST	QBL381502
10+1 ST	QBL381618

UN45


63X2.2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 60-80.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SL45 p.16 DW45 p.36 SC45 p.58

VPE	ART.NR.
1 ST	QBL380185
5 ST	QBL381526
10+1 ST	QBL381632



GLUE & SILICONE

UN70

52X0.9MM



Stable blade for cutting soft materials. Shape: round.
Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



SL70
p.17



DW70
p.37



SC70
p.59

VPE	ART.NR.
1 ST	QBL380260
5 ST	QBL380864
10+1 ST	QBL381311

UN72

52X0.9MM



Stable blade for cutting soft materials. Shape: concave.
Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



SC72
p.59

VPE	ART.NR.
1 ST	QBL380284
5 ST	QBL380888
10+1 ST	QBL381298

UN73

60X1.5MM



Ideal for removing old (butyl) sealant. Thanks to the V-shape
it works in almost all corners.

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



SC73
p.59

VPE	ART.NR.
1 ST	QBL381441
5 ST	QBL381458
10+1 ST	QBL381465

GLUE & SILICONE

UN75

55X0.9M



Segment shape, for V-cuts and cutting in corners.
Also suitable for cutting bitumen.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



SC75
p.60

VPE	ART.NR.
1 ST	QBL380307
5 ST	QBL380901
10+1 ST	QBL381274

UN76

70X1.5MM



Ideal for removing sealant/expansion joints. Super stable!

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



SLM76
p.28



DW76
p.37



SC76
p.60

VPE	ART.NR.
1 ST	QBL381045
5 ST	QBL381229
10+1 ST	QBL381250

UN78

30X85MM



Universal blade for removing almost all expansion joints.
Thickness 0.9mm.

Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.

Available arbors:



SLM78
p.28



DW78
p.37



SC78
p.60

VPE	ART.NR.
1 ST	QBL380321
5 ST	QBL380925
10+1 ST	QBL381328

SANDING


UN51

36X50MM



Ideal for the smallest corners and precision work.
Suitable for sanding pads UN65.
With hook-and-loop.

Available arbors:



VPE	ART.NR.
2 ST	QBL380369

UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

Wood, metal, fiberglass, plastic,
paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL380437
30 ST	80	QBL380444
30 ST	100	QBL380451
30 ST	120	QBL380468
20 ST	240	QBL380475


UN52

93MM



Sanding plate suitable for all sanding pads type UN62.
Perforated, with hook-and-loop.

Available arbors:



VPE	ART.NR.
2 ST	QBL381984

UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

Wood, metal, fiberglass, plastic,
paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL382004
30 ST	80	QBL382011
30 ST	100	QBL382028
30 ST	120	QBL382035
30 ST	240	QBL382042

SETS

UN92



The HCS saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material. With the BIM saw blade in this set, you can cut wood, plastics, nails, copper and aluminium pipes, and profiles.

Set includes:

- 1x UN04
- 1x UN06
- 1x UN08
- 1x UN11

VPE	ART.NR.
SET A 4ST	QBL380628

UN93



The saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material.

Set includes:

- 5x UN04
- 6x UN06

VPE	ART.NR.
SET A 11ST	QBL380666



SC

The SC connection is compatible with the **Supercut system** — the oldest and most robust system from Fein, specifically developed for professional users who demand maximum power, precision, and durability. This system is designed to handle heavy and demanding tasks in sectors such as construction, renovation, and installation with ease and efficiency.



A distinctive feature of the Supercut system is its hexagonal shape. It is the predecessor of the Starlock MAX system.

The Supercut system is still in use today and remains a rugged and proven mounting mechanism for accessories. Thanks to its design, attachments stay firmly in place even during intensive use.

This system supports a wide range of high-quality accessories, often specifically tailored to professional requirements — such as precision cutting or heavy-duty sawing tasks.

In short, as Fein's oldest system, the Supercut system offers unmatched power, precision, and reliability, making it an excellent choice for professionals who accept nothing less than top performance from their tools.





SC02

44X78MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL381755
5 ST	QBL381816
10+1 ST	QBL381878
100+15 ST	QBL381939

SC04

34X40MM


HCS



Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL380017
5 ST	QBL380697
10+1 ST	QBL380956
100+15 ST	QBL381090

SC06

34X40MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



VPE	ART.NR.
1 ST	QBL380079
5 ST	QBL380758
10+1 ST	QBL381014
100+15 ST	QBL381151

WOOD & PLASTIC

SC07

20X40MM


HCS



Easy plunge cuts in material at any location.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL07 UN07
p.13 p.42

VPE	ART.NR.
1 ST	QBL380031
5 ST	QBL380710
10+1 ST	QBL380970
100+15 ST	QBL381113

SC08

65X42MM


HCS



Easy plunge cuts in material at any location.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL08 SLP08 DW08 UN08
p.12 p.21 p.32 p.42


VPE	ART.NR.
1 ST	QBL380055
5 ST	QBL380734
10+1 ST	QBL380994
100+15 ST	QBL381137

SC09

68X42MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows.
Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL09 SLP09 DW09 UN09
p.12 p.21 p.32 p.42

VPE	ART.NR.
1 ST	QBL381779
5 ST	QBL381830
10+1 ST	QBL381892
100+15 ST	QBL381953

WOOD & METAL

SC03

34X40MM

BIM

LONG
LIFE




TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



SL03 DW03 UN03
p.13 p.33 p.43

VPE	ART.NR.
1 ST	QBL380093
5 ST	QBL380772
10+1 ST	QBL381038
100+15 ST	QBL381175

SC11

45X60MM

BIM

LONG
LIFE




TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 57mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



SL10 SLP11 DW11 UN11
p.13 p.22 p.33 p.43

VPE	ART.NR.
1 ST	QBL380499
5 ST	QBL380819
10+1 ST	QBL380659
100+15 ST	QBL381199

SC12

44X78MM

BIM

LONG
LIFE




TPI 19



Wide range of applications due to Bi-metal teeth.
Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes
and profiles.*

Available arbors:



SLM12 DW12 UN12
p.26 p.33 p.43

VPE	ART.NR.
1 ST	QBL381793
5 ST	QBL381854
10+1 ST	QBL381915
100+15 ST	QBL381977

WOOD & METAL

SC13

68X42MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL382486
5 ST	QBL382509
10+1 ST	QBL382523
100+15 ST	QBL382547

SC15

28X60MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.
Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



VPE	ART.NR.
1 ST	QBL380130
5 ST	QBL380833
10+1 ST	QBL381076
100+15 ST	QBL381212

SC20

88MM

BIM


LONG LIFE



Wide range of applications due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:




VPE	ART.NR.
1 ST	QBL380154
5 ST	QBL380857
10+1 ST	QBL381694

SC21

80MM

HSS



Wide range of applications due to HSS (High Speed Steel) teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:




VPE	ART.NR.
1 ST	QBL381366
5 ST	QBL381373
10+1 ST	QBL381595

BRICK & GROUT

SC30

85X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SL31
p.15



DW30
p.35




UN30
p.46

VPE	ART.NR.
1 ST	QBL380215
5 ST	QBL381557
10+1 ST	QBL381663

SC32

63X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



UN32
p.46

VPE	ART.NR.
1 ST	QBL380239
5 ST	QBL381571
10+1 ST	QBL381687

SC35

58X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



SLM41
p.27



DW35
p.35



UN35
p.46

VPE	ART.NR.
1 ST	QBL380253
5 ST	QBL381434
10+1 ST	QBL381410

BRICK & GROUT

SC36


58X1.4MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



VPE	ART.NR.
1 ST	QBL382325
5 ST	QBL382363
10+1 ST	QBL382400

SC40


80MM



This carbide rasp is suitable for coarse grinding of surfaces. Grit 30-40.

Filler, tilespecie, concrete, stone and hout.

Available arbors:



VPE	ART.NR.
1 ST	QBL380178
5 ST	QBL381519
10+1 ST	QBL381625

SC45


63X2.2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 60-80.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



VPE	ART.NR.
1 ST	QBL380192
5 ST	QBL381533
10+1 ST	QBL381649

GLUE & SILICONE

SC70

52X0.9MM



Stable blade for cutting soft materials. Shape: round.
Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



SL70
p.17



DW70
p.37



UN70
p.48

VPE	ART.NR.
1 ST	QBL380277
5 ST	QBL380871
10+1 ST	QBL381304

SC72

52X0.9MM



Stable blade for cutting soft materials. Shape: concave.
Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



UN72
p.48

VPE	ART.NR.
1 ST	QBL380291
5 ST	QBL380895
10+1 ST	QBL381281

SC73

60X1.5MM



Ideal for removing old (butyl) sealant. Thanks to the V-shape
it works in almost all corners.

*Felt, leather, styrofoam, sealant, tile adhesive,
linoleum and underlay protection.*

Available arbors:



UN73
p.48

VPE	ART.NR.
1 ST	QBL381472
5 ST	QBL381489
10+1 ST	QBL381496

GLUE & SILICONE

SC75

55X0.9M



Segment shape, for V-cuts and cutting in corners.
Also suitable for cutting bitumen.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum
and underlay protection.*

Available arbors:



UN75
p.49

VPE	ART.NR.
1 ST	QBL380314
5 ST	QBL380918
10+1 ST	QBL381267

SC76

70X1.5MM



Ideal for removing sealant/expansion joints. Super stable!

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum
and underlay protection.*

Available arbors:



SLM76
p.28



DW76
p.37



UN76
p.49

VPE	ART.NR.
1 ST	QBL381052
5 ST	QBL381236
10+1 ST	QBL381243

SC78

30X85MM



Universal blade for removing almost all expansion joints.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum
and underlay protection.*

Available arbors:



SLM78
p.28



DW78
p.37



UN78
p.49

VPE	ART.NR.
1 ST	QBL380338
5 ST	QBL380932
10+1 ST	QBL381335



SANDING

SC51

36X50MM



Ideal for the smallest corners and precision work.
Suitable for sanding pads UN65.
With hook-and-loop.

Available arbors:



SL51
p.18



DW51
p.38



UN51
p.50

VPE	ART.NR.
2 ST	QBL380376

UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

VPE	KORREL	ART.NR.
30 ST	60	QBL380437
30 ST	80	QBL380444
30 ST	100	QBL380451
30 ST	120	QBL380468
30 ST	240	QBL380475



SANDING


SC52

93MM



Sanding pad base suitable for all sanding pads type UN62. Perforated, with hook-and-loop.

Available arbors:



SL52 p.18 DW52 p.38 UN52 p.50

VPE	ART.NR.
2 ST	QBL381991

UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

VPE	KORREL	ART.NR.
10 ST	60	QBL382004
10 ST	80	QBL382011
10 ST	100	QBL382028
10 ST	120	QBL382035
10 ST	240	QBL382042



SETS

SC92




The HCS saw blades in this set are suitable for all tasks with wood, plasterboard and plastics. Easy plunge cuts at any point in the material. The BIM saw blade in this set cut wood, plastics, nails, copper and aluminium pipes and profiles.

Set includes:

- 1x SC04
- 1x SC06
- 1x SC08
- 1x SC11

VPE	ART.NR.
SET A 4ST	QBL380635

SC93



The saw blades in this set are suitable for all tasks with wood, plasterboard and plastics. Easy plunge cuts at any point in the material.

Set includes:

- 5x SC04
- 6x SC06

VPE	ART.NR.
SET A 11ST	QBL380673



MAXIMUM PERFORMANCE AND DURABLE

Qblades has conducted two years of intensive testing to develop the highest quality reciprocating saw blades. The result is a collection of 36 blades suitable for a wide range of materials and applications. Naturally available in various lengths, thicknesses and TPI (teeth per inch).

Think of coarse blades for pruning and rough wood, and all-rounders for heavy demolition work, such as removing window frames or cutting through steel structures.

- ✓ Choose flexible blades for **wood with nails** — ideal for cutting along the ground or in corners.
- ✓ For **metal**, you can choose from thin, medium, and thick materials. The thinner the metal, the finer the teeth; the thicker the metal, the coarser.
- ✓ In addition to **HCS** and **BIM** variants, the range also includes **Carbide** blades in each category, which last up to 50 times longer.
- ✓ Our **demolition** blades often feature variable tooth spacing for optimal performance on mixed materials.
- ✓ The blades for **hollow brick** are popular and suitable for aerated concrete and harder stone types, although this comes at the cost of reduced lifespan.






WOOD

QRC0109

240X1.3MM

HCS



To use as:

Bosch S1531L

Very coarse saw blade for fast cuts.


Wood, nails, plasterboard and plastics.

VPE	ART.NR.
5 ST	QBL385043
Bulk (250+)	QBL385739

QRC0206

152X1.3MM

HCS



To use as:

Bosch S644D

Ideal for fast, straight cuts.


Wood, structural wood, plastics and plasterboard.

VPE	ART.NR.
5 ST	QBL385050

QRC0308

203X1.3MM

HCS



To use as:

Bosch S2345X

Ideal for fast, straight cuts.

Wood, structural wood, plastics and plasterboard.

VPE	ART.NR.
5 ST	QBL385067
Bulk (250+)	QBL385753

RECIPRO



WOOD

QRC0809

228X1.25MM

**CARBIDE
PRO**

**50x LONG
LIFE**



To use as:
S1142KHM

Very coarse saw blade for fast cutting. Extra robust due to carbide teeth.

Wood, hardwood, plastics and plasterboard.


VPE	ART.NR.
5 ST	QBL385074

QRC0812

304X1.25MM

**CARBIDE
PRO**

**50x LONG
LIFE**



To use as:
Bosch S1242KHM

Very coarse saw blade for fast cutting. Extra robust due to carbide teeth.

Wood, hardwood, plastics and plasterboard.

VPE	ART.NR.
5 ST	QBL385081







WOOD & NAILS

QRC1109

228X1.6MM

BIM

LONG LIFE



Suitable for wood with nails. Broad application due to Bi-metal teeth.

To use as:
Bosch S1110VF

Wood, plastics, nails, copper and aluminum pipes and profiles.


VPE	ART.NR.
5 ST	QBL385098

QRC1112

300X1.6MM

BIM

LONG LIFE



Broad application due to Bi-metal teeth.

To use as:
Bosch S1210VF

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385104

QRC1206

152X1.27MM

BIM

LONG LIFE



Broad application due to Bi-metal teeth.

To use as:
Bosch S711DF

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385111

QRC1309

228X1.27MM

BIM

LONG LIFE



Suitable for wood with nails. Broad application due to Bi-metal teeth.

To use as:
Bosch S1111DF

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385128



WOOD & NAILS

QRC1312


302X1.27MM

BIM

LONG LIFE

To use as:

Bosch S1411DF



Suitable for wood with nails. Broad application due to Bi-metal teeth.

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385135
Bulk (250+)	QBL385784

QRC1406

150X0.96MM

BIM

LONG LIFE

To use as:

Bosch S922HF



Very flexible for cutting close to the ground or wall. Broad application due to Bi-metal teeth.

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385142

QRC1409


228X0.96MM

BIM

LONG LIFE

To use as:

Bosch S1122HF



Very flexible for cutting close to the ground or wall. Broad application due to Bi-metal teeth.

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385159

QRC1512


304X0.96MM

BIM

LONG LIFE

To use as:

Bosch S1222VF



Very flexible for cutting close to the ground or wall. Broad application due to Bi-metal teeth.

Wood, plastics, nails, copper and aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385166





ALL-ROUNDERS DEMOLITION

QRC2209


228X1.6MM

BIM

**LONG
LIFE**

To use as:

Bosch type S1120CF



Suitable for wood with nails and thick steel from 4 to 12mm.
Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
1 ST	QBL385210
5 ST	QBL385821

QRC2212


300X1.6MM

BIM

**LONG
LIFE**

To use as:

Bosch type S1226CHF



Suitable for wood with nails and thick steel from 4 to 12mm.
Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385227

QRC2406


152X0.96MM

BIM

**LONG
LIFE**

To use as:

Bosch type S123XF



Suitable for wood with nails and thick steel from 2,5 to 8mm.
Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385180

QRC2508


203X1.3MM

BIM

**LONG
LIFE**

To use as:

Bosch type S3456XF



Suitable for wood with nails and thick steel from 4 to 10mm.
Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385173
Bulk (250+)	QBL385807



ALL-ROUNDERS – DEMOLITION

QRC2806

152X1.6MM


**CARBIDE
PRO**

**50x LONG
LIFE**



To use as:

Bosch type S956DHM



Suitable for wood with nails and thick steel from 4 to 12mm.
Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385197

QRC2809

228X1.6MM


**CARBIDE
PRO**

**50x LONG
LIFE**



To use as:

Bosch type S1156XHM



Suitable for wood with nails and thick steel from 4 to 12mm.
Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385203





THICK METAL

QRC3806


152X1.25MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S955CHC



Suitable for cutting 4 to 12mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385234

QRC3809


228X1.25MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S1155CHC



Suitable for cutting 4 to 12mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385241

QRC3812


304X1.25MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S1255CHC



Suitable for cutting 4 to 12mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385258

RECIPRO



MEDIUM METAL

QRC5104



100X0.96MM

BIM

LONG LIFE

To use as:

Bosch S522BF



TPI 14

Suitable for cutting 2 tot 8mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385265

QRC5106



150X0.96MM

BIM

LONG LIFE

To use as:

Bosch S922BF



TPI 14

Suitable for cutting 2 tot 8mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385272

QRC5109



228X0.96MM

BIM

LONG LIFE

To use as:

Bosch S1122BF



TPI 14

Suitable for cutting 2 tot 8mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385289
Bulk (250+)	QBL385845

QRC5306



150X0.96MM

BIM

LONG LIFE

To use as:

Bosch S922EF



TPI 18

Suitable for cutting 1.5 tot 4mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385296





MEDIUM METAL

QRC5309



228X1.25MM

BIM

LONG LIFE

To use as:

Bosch 1122EF



Suitable for cutting 1.5 tot 4mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385302

QRC5806



151X1.25MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S955HHM



Suitable for cutting 1.5 to 8mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385319

QRC5809



228X1.25MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S1155HHM



Suitable for cutting 1.5 to 8mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385326

QRC5812


304x1.25MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S1255HHM



Suitable for cutting 1.5 to 8mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385333

RECIPRO



THIN METAL

QRC6106



150X0.98MM

BIM

LONG LIFE

To use as:

Bosch S922AF



Suitable for cutting 1 to 1.5mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385340

QRC6109



228X0.98MM

BIM

LONG LIFE

To use as:

Bosch S1122AF



Suitable for cutting 1 to 1.5mm steel. Broad application due to Bi-metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385357

QRC6804


102x1MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S522EHM



Suitable for cutting 1 to 1.5mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385364

QRC6806



150x1MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch S922EHM



Suitable for cutting 1 to 1.5mm steel. Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385371






HOLLOW BRICK

QRC7909

240X1.5MM

CARBIDE PRO

50x LONG LIFE



To use as:

Bosch S1543HM

Suitable for cutting hollow brick and aerated concrete.
Extra robust due to carbide teeth.

Hollow brick, aerated concrete.


VPE	ART.NR.
5 ST	QBL385395

QRC7812

304X1.5MM

CARBIDE PRO

50x LONG LIFE




To use as:

Bosch S1243HM

Suitable for cutting hollow brick and aerated concrete.
Extra robust due to carbide teeth.

Hollow brick, aerated concrete.

VPE	ART.NR.
5 ST	QBL385388



Sengco
PROFESSIONAL QUALITY

- WOOD - CURVED CUT
HCS 20TPI QDC0101
- WOOD - FAST
HCS 8TPI QDC0502
- WOOD - FINE FINISH
HCS 10TPI QDC0302
- WOOD - REVERSE CUT
HCS 10TPI QDC0302
- WOOD - FAST
BIM 6TPI QDC1302
- WOOD - REVERSE CUT
BIM 10TPI QDC1302
- HARD WOOD - CLEAN
BIM 15TPI QDC070
- WOOD - CURVED CUT
BIM 20TPI QDC110

GENERAL PURPOSE
BIM 10TPI QDC1204

JIGSAW





MAXIMUM PERFORMANCE AND DURABILITY

Since April 2024, the Qblades range has been expanded with a new line of high-quality jigsaw blades. After two years of intensive testing, 24 blades have been developed that meet the high demands of professionals. They are suitable for various materials and applications.

The range includes, among others:

- ✓ **Wood blades in HCS or BIM, with options such as:**
 - Curved cut: for curved cuts
 - Fine finish: for precise finishing
 - Fast: for quick and rough cutting
 - All-rounders: for wood with nails – also available in a durable carbide version (up to 50x longer lifespan)
- ✓ **Metal blades for:**
 - Thin metal (fine teeth)
 - Medium metal
 - Thick metal (coarser teeth)
- ✓ **Blades for stone and tiles, including ceramic and hardened variants**







WOOD (HCS)

QDC0101

76MM

HCS



To use as:
Bosch T101AO


Due to its 5mm height, ideal for cutting curves.
Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385401

QDC0202

100MM

HCS



To use as:
Bosch T101B

This saw blade is designed for fast, precise, and clean cuts.
Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385418

QDC0302

100MM

HCS



To use as:
Bosch T101BR

The reverse toothing ensures a clean cut on the underside of the material.
Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385425



WOOD (HCS)

QDC0402

100MM

HCS



To use as:
Bosch T101D

This coarse saw blade effortlessly makes fast and straight cuts.


Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385432

QDC0502

100MM

HCS



To use as:
Bosch T144D

This coarse saw blade effortlessly makes fast and straight cuts.

Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385449







WOOD (BIM)

QDC1101

76MM

BIM

5x LONG
LIFE



To use as:

Bosch T101AOF

Due to its 5mm height, ideal for cutting curves.
Longer lifespan due to Bi-metal teeth.

Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385456

QDC1202

100MM

BIM

5x LONG
LIFE



To use as:

Bosch T101BF

This saw blade is designed for fast, precise, and clean cuts.
Longer lifespan due to Bi-metal teeth.

Wood, structural wood, plastics, plasterboard.


VPE	ART.NR.
5 ST	QBL385463

QDC1302

100MM

BIM

5x LONG
LIFE



To use as:

Bosch T101BRF

The reverse toothting ensures a clean cut on the underside
of the material. Longer lifespan due to Bi-metal teeth.

Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385470



WOOD (BIM)

QDC1402

100MM

BIM

5x LONG LIFE



To use as:

Bosch T101DF

This coarse saw blade effortlessly makes fast and straight cuts. Longer lifespan due to Bi-metal teeth.

Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385487

QDC1502

100MM

BIM

5x LONG LIFE



To use as:

Bosch T144DF

A saw blade with set teeth for fast and precise cutting. Longer lifespan due to Bi-metal teeth.

Wood, structural wood, plastics, plasterboard.



VPE	ART.NR.
5 ST	QBL385494

QDC1702

100MM

BIM

5x LONG LIFE



To use as:

Bosch T101AIF

This saw blade effortlessly delivers smooth, straight cuts in (hard)wood.

Wood, structural wood, plastics, plasterboard.

VPE	ART.NR.
5 ST	QBL385500





ALL-ROUNDER

QDC1204


132MM

BIM

5x LONG
LIFE

To use as:

Bosch T345XF



Suitable for wood with nails and steel from 4.5 to 9.5mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385517

QDC8204


130MM

CARBIDE
PRO

50x LONG
LIFE

To use as:

Bosch T367XHM



Suitable for wood with nails and steel from 4.5 to 9.5mm.

Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385524



THICK METAL

QDC1303

91MM


BIM

5x LONG LIFE



To use as:

Bosch T121BF



Suitable for cutting 3 to 6mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385548

QDC2303


76MM

HSS



To use as:

Bosch T118B



Suitable for cutting 3 to 6mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385531





MEDIUM METAL

QDC1404



91MM

BIM



To use as:

Bosch T121AF



Suitable for cutting 1.5 to 3mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385562

QDC1405

132MM


BIM

5x LONG LIFE



To use as:

Bosch T321AF



VPE	ART.NR.
5 ST	QBL385609

Suitable for cutting 1.5 to 3mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

QDC2404


76MM

HSS



To use as:

Bosch T118A



Suitable for cutting 1.5 to 3mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385555



THIN METAL

QDC1505


91MM

BIM

5x LONG LIFE

To use as:

Bosch T121GF



Suitable for cutting 0.4 to 1.2mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385586



QDC2505

76MM

HSS

To use as:

Bosch T118G



Suitable for cutting 0.4 to 1.2mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385579

QDC8505

76MM

CARBIDE PRO

50x LONG LIFE

To use as:

Bosch T118AHM



Suitable for cutting 0.4 to 1.2mm steel.

Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

VPE	ART.NR.
5 ST	QBL385593







SPECIAL APPLICATIONS

QDC8130

76MM

CARBIDE
PRO

50x LONG
LIFE



To use as:

Bosch T130Riff

Suitable for cutting ceramic tiles. Carbide. Grit 130.

Ceramic tiles.


VPE	ART.NR.
5 ST	QBL385630

QDC8706

100MM

CARBIDE
PRO

50x LONG
LIFE



To use as:

Bosch T141HM

Suitable for cutting fibre cement and plaster.

Fibre cement, plaster, plastic, copper, aluminum pipes and profiles.


VPE	ART.NR.
5 ST	QBL385654

QDC9150

85MM

CARBIDE
PRO

50x LONG
LIFE



To use as:

Bosch T150Riff

Suitable for cutting hard tiles. Diamond. Grit 150.


Hard tiles.

VPE	ART.NR.
5 ST	QBL385647

DECOUPEUR

TO
USE
AS

REFERENCES



Fein Starlock

FEIN	QBLADES	
Fein 001	SL40	15
Fein 106	SL20	14
Fein 125	SL46	16
Fein 126	SL06	11
Fein 127	SLP09	21
Fein 129	SL52	18
Fein 131	SLP08	21
Fein 133	SL04	11
Fein 151	SLP15	22
Fein 152	SLP11	22
Fein 159	SL51	18
Fein 160	SL03	13
Fein 165	SL71	17
Fein 166	SL31	15
Fein 183	SL07	13
Fein 191	SLP44	23
Fein 193	SLP34	23
Fein 205	SL16	12
Fein 222	SL15	14
Fein 223	SL10	13
Fein 225	SL08	12
Fein 226	SL70	17
Fein 227	SL05	11
Fein 228	SL13	14
Fein 230	SL09	12
Fein 232	SL18	12
Fein 236	SL81	14
Fein 237	SLP83	22
Fein 251	SL77	17



DeWalt

DeWalt	QBLADES	
DT20741-QZ	DW09	32
DT20740-QZ	DW06	31
DT20739-QZ	DW35	35
DT20727-QZ	DW82	34
DT20723-QZ	DW15	34
DT20719-QZ	DW40	36
DT20716-QZ	DW78	37
DT20714-QZ	DW70	37
DT20710-QZ	DW20	34
DT20705-QZ	DW08	32
DT20704-QZ	DW04	31
DT20703-QZ	DW02	31
DT20702-QZ	DW11	33
DT20701-QZ	DW03	33



Fein SuperCut

FEIN	QBLADES	
Fein 005	SC40	58
Fein 103	SC21	56
Fein 115	SC30	57
Fein 116	SC76	60
Fein 117	SC78	60
Fein 119	SC06	53
Fein 122	SC09	54
Fein 124	SC02	53
Fein 132	SC75	60
Fein 135	SC04	53
Fein 136	SC08	54
Fein 145	SC20	56
Fein 147	SC15	56
Fein 148	SC11	55
Fein 162	SC35	57
Fein 163	SC12	55
Fein 164	SC03	55
Fein 166	SC73	59
Fein 185	SC07	54
Fein 206	SC70	59



REFERENCES

TO
USE
AS



RECIPRO

QBLADES	BOSCH	MAKITA	METABO	MILWAUKEE	
WOOD					
QRC0109	S1531L	-	631488000	48-00-1077	67
QRC0206	S644D	-	631470000	48-00-1075	67
QRC0308	S2345X	P47086	631913000	-	67
QRC0809	S1142KHM	-	-	-	68
QRC0812	S1242KHM	-	-	-	68
WOOD & NAILS					
QRC1109	S1110VF	-	-	-	69
QRC1112	S1210VF	-	-	-	69
QRC1206	S711DF	-	-	-	69
QRC1309	S1111DF	-	631986000	48-00-5036	69
QRC1312	S1411DF	-	631987000	48-00-5037	70
QRC1406	S922HF	P46997	-	48-00-5092	70
QRC1409	S1122HF	P47008	-	48-00-5093	70
QRC1512	S1222VF	-	-	-	70
ALL-ROUDERS - DEMOLITION					
QRC2508	S3456XF	-	-	-	71
QRC2406	S123XF	-	-	-	71
QRC2209	S1120CF	-	631993000	-	71
QRC2212	S1226CHF	-	-	-	71
QRC2806	S956DHM	-	-	-	72
QRC2809	S1156XHM	-	-	-	72
THICK METAL (4-12mm)					
QRC3806	S955CHC	-	-	-	73
QRC3809	S1155CHC	-	-	-	73
QRC3812	S1255CHC	-	-	-	73
MEDIUM METAL (1.5-8mm)					
QRC5104	S522BF	-	628267000	-	74
QRC5106	S922BF	P0491	625491000	48-00-5182	74
QRC5109	S1122BF	-	625492000	-	74
QRC5306	S922EF	P04880	628251000	48-00-5184	74
QRC5309	S1122EF	P04933	628252000	48-00-5188	75
QRC5806	S955HHM	-	-	-	75
QRC5809	S1155HHM	-	-	-	75
QRC5812	S1255HHM	-	-	-	75
THIN METAL (1-1.5mm)					
QRC6106	S922AF	P04905	-	48-00-5186	76
QRC6109	S1122AF	-	-	-	76
QRC6804	S522EHM	-	-	-	76
QRC6806	S922EHM	-	-	-	76
HOLLOW BRICK					
QRC7812	S1243HM	-	-	-	77
QRC7909	S1543HM	-	-	-	77

TO
USE
AS

REFERENCES



JIGSAW

QBLADES	BOSCH	FESTOOL	MAKITA	METABO	MILWAUKEE	
WOOD (HCS)						
QDC0101	T101AO	S50K/1,4	-	623651000	4932373392	81
QDC0202	T101B	S75/2,5	B11/A85634	623634000	4932254061	81
QDC0302	T101BR	-	B19/A85715	623650000	4932346079	81
QDC0402	T101D	-	B12/A85640	623635000	4932274351	82
QDC0502	T144D	S75/4	B16/A85684	623633000	4932213116	82
WOOD (BIM)						
QDC1101	T101AOF	-	320SC	623975000	4932373083	83
QDC1202	T101BF	S75/2,5BI	S75/2,5BI	623696000	48-42-5311	83
QDC1302	T101BRF	HS75/2,5BIR	-	623635000	-	83
QDC1402	T101DF	B12/A85640	B12/A85640	623976000	4932274351	84
QDC1502	T144DF	S75/4BI	P31588	623948000	4932373391	84
QDC1702	T101AIF	-	-	-	-	84
ALL-ROUDERS - DEMOLITION						
QDC1204	T345XF	-	-	-	-	85
QDC8204	T367XHM	-	-	-	-	85
THICK METAL (3-6mm)						
QDC2303	T118B	HS60/2BI	B23/A85743	623925000	4932254064	86
QDC1303	T121BF	-	P49622	623949000	-	86
MEDIUM METAL (1.5-8mm)						
QDC2404	T118A	-	-	-	-	87
QDC1404	T121AF	HS 75/1,2 BI	-	-	-	87
QDC1405	T321AF	-	-	-	-	87
THIN METAL (0.4-1.2mm)						
QDC2505	T118G	-	B24/A85759	623636000	4932274652	88
QDC1505	T121GF	-	-	-	-	88
QDC8505	T118AHM	-	B22/A85737	623637000	4932254063	88
SPECIAL APPLICATIONS						
QDC8130	T130Riff	-	-	-	-	89
QDC9150	T150Riff	-	-	-	-	89
QDC8706	T141HM	HM75/4,5	P38766	-	-	89





Q-Case

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





WWW.QBLADES.COM



DG Europe BV

De Langeloop 12-1
1742PB, Schagen
THE NETHERLANDS

+31 (0) 224 76 90 02
info@qblades.com

www.qblades.com