



**THE REAL DEAL**

**CATALOGUE  
VALID FROM APRIL 2026**

*Subject to printing errors and changes.*

# DEAR PROFESSIONALS,



As always, the past year saw plenty of developments in the world of construction. And that's a good thing — because there has been a huge amount of building, renovating, and installing going on in recent years.

Of course, we've been working on exciting new developments as well. Our range has expanded significantly: in addition to multitool saw blades, we now also supply jigsaw and reciprocating saw blades. After two years of thorough testing, we've found blades that meet our high quality standards for each type — allowing us to launch the new range with full confidence.

And less than a year later, it already feels like Qblades has been a household name in the world of jigsaw and reciprocating blades for years. When we ask the market about it, we hear: "That's exactly the strength of Qblades!"

That kind of compliment gives us the energy to keep pushing forward — and the next expansion is already lined up: circular saw blades. The first tests will start soon, and we expect to launch the new blades at the beginning of 2026.

Next to expanding our product range, we've also been working on the positioning of Qblades. And of course, that includes a new catalogue — fresh in style and updated in content, so you have the right trade-specific information at hand, laid out clearly and with attention to every detail.

We wish you the best of luck — and above all, lots of fun on your next project.

**Daan & George**  
*Managing Directors*

# INDEX



## SL

### WOOD & PLASTIC

SL04	11
SL05	11
SL06	11
SL08	12
SL09	12
SL16	12
SL18	12

### WOOD & METAL

SL03	13
SL07	13
SL10	13
SL13	14
SL15	14
SL20	14
SL81	14

### BRICK & GROUT

SL31	15
SL40	15
SL45	16
SL46	16

### GLUE & SILICONE

SL70	17
SL71	17
SL77	17

### SANDING

SL51	18
SL52	18

### SETS

SL92	19
SL93	19



## SLP

### WOOD & PLASTIC

SLP08	21
SLP09	21

### WOOD & METAL

SLP11	22
SLP15	22
SLP83	22

### BRICK & GROUT

SLP34	23
SLP44	23



## SLM

### WOOD & PLASTIC

SLM01	25
SLM02	25

### WOOD & METAL

SLM12	26
SLM17	26

### BRICK & GROUT

SLM41	27
SLM42	27

### GLUE & SILICONE

SLM76	28
SLM78	28



## DW

### WOOD & PLASTIC

DW02	31
DW04	31
DW06	31
DW08	32
DW09	32

### WOOD & METAL

DW03	33
DW11	33
DW12	33
DW13	34
DW15	34
DW20	34
DW82	34

### BRICK & GROUT

DW30	35
DW35	35
DW36	35
DW40	36
DW45	36

### GLUE & SILICONE

DW70	37
DW76	37
DW78	37

### SANDING

DW51	38
DW52	38

### SETS

DW92	39
DW93	39





## UN

### WOOD & PLASTIC

UN02	41
UN04	41
UN06	41
UN07	42
UN08	42
UN09	42

### WOOD & METAL

UN03	43
UN11	43
UN12	43
UN13	44
UN15	44
UN20	44
UN21	45
UN82	45

### BRICK & GROUT

UN30	46
UN32	46
UN35	46
UN36	47
UN40	47
UN45	47

### GLUE & SILICONE

UN70	48
UN72	48
UN73	48
UN75	49
UN76	49
UN78	49

### SANDING

UN51	50
UN52	50
UN62	50
UN65	50

### SETS

UN92	51
UN93	51



## SC

### WOOD & PLASTIC

SC02	53
SC04	53
SC06	53
SC07	54
SC08	54
SC09	54

### WOOD & METAL

SC03	55
SC11	55
SC12	55
SC13	56
SC15	56
SC20	56
SC21	56

### BRICK & GROUT

SC30	57
SC32	57
SC35	57
SC36	58
SC40	58
SC45	58

### GLUE & SILICONE

SC70	59
SC72	59
SC73	59
SC75	60
SC76	60
SC78	60

### SANDING

SC51	61
SC52	62

### SETS

SC92	63
SC93	63



## RECIPRO

### WOOD

QRC0109	65
QRC0206	65
QRC0308	65
QRC0809	66
QRC0812	66

### WOOD & NAILS

QRC1109	67
QRC1112	67
QRC1206	67
QRC1309	67
QRC1312	68
QRC1406	68
QRC1409	68
QRC1512	68

### ALL-ROUNDERS - DEMOLITION

QRC2209	69
QRC2212	69
QRC2406	69
QRC2508	69
QRC2806	70
QRC2809	70

### THICK METAL (4-12MM)

QRC3806	71
QRC3809	71
QRC3812	71

### MEDIUM METAL (1,5-8mm)

QRC5104	72
QRC5106	72
QRC5109	72
QRC5306	72
QRC5309	73
QRC5806	73
QRC5809	73
QRC5812	73

### THIN METAL (1-1.5MM)

QRC6106	74
QRC6109	74
QRC6804	74
QRC6806	74

### HOLLOW BRICK

QRC7909	75
QRC7812	75



## JIGSAW

### WOOD (HCS)

QDC0101	79
QDC0202	79
QDC0302	79
QDC0402	80
QDC0502	80

### WOOD (BIM)

QDC1101	81
QDC1202	81
QDC1302	81
QDC1402	82
QDC1502	82
QDC1702	82

### ALL-ROUNDERS

QDC1204	83
QDC8204	83

### THICK METAL (3-6MM)

QDC1303	84
QDC2303	84

### MEDIUM METAL (1.5-3MM)

QDC1404	85
QDC1405	85
QDC2404	85

### THIN METAL (0.4-1.2MM)

QDC1505	86
QDC2505	86
QDC8505	86

### SPECIAL APPLICATIONS

QDC8130	87
QDC8706	87
QDC9150	87

# STORE PRESENTATION



## Q-Counter

**COUNTER DISPLAY**  
80x60cm

- ✓ The solution for all multitools
- ✓ Clear product assortment
- ✓ 100% plastic-free
- ✓ Fast and technical customer service
- ✓ Always in stock and shipped within 24 hours on working days





# Q-Wall

**FLOOR STAND**  
240x100cm

# Q-Tower

**STORE PILLAR**  
40x200cm



# MULTITOOL





# MULTITOO

## ESSENTIAL FOR EVERY PROFESSIONAL

A multi-tool is the ultimate allrounder, that truly belongs in every professional's toolbox. Whether you're cutting wood to size, removing old tiles, or slicing through a metal pipe - with the right blade; it's all possible. Our extensive range is perfectly tailored to every task.

- ✓ **For wood and PVC**, you use an HCS saw blade.
- ✓ When you need to cut through **nails, profiles, or metal**, it's best to use a Bi-Metal saw blade.
- ✓ For **stone, concrete, or tiles**, use a carbide or diamond saw blade.
- ✓ For extremely hard materials like **hardened steel or screws**, choose a carbide saw blade - its extra tough and wear-resistant.
- ✓ You can also use a multitool to **remove sealant and adhesive residues**.
- ✓ We also offer the right accessories for **sanding**.



HCS (High Carbon Steel) is a flexible and sharp type of steel.



HSS (High-Speed Steel) is a wear-resistant type of steel with high heat resistance.



BIM (Bi-Metal) combines HSS and HCS, providing both flexibility and wear resistance.








Carbide teeth and a TIN coating, provide extreme wear resistance.



# MAKE THE RIGHT CHOICE

## 1 WHICH SYSTEM DO YOU USE?



## 3 CHOOSE THE DESIRED APPLICATION

- WOOD  
& PLASTIC
- WOOD  
& METAL
- METAL
- BRICK  
& GROUT
- GLUE  
& SILICONE
- SANDING



# SL



The SL (Starlock) connection is compatible with the **Starlock system** for multitool accessories, jointly developed by Bosch and Fein. It was introduced to offer a universal interface compatible with various brands, including Bosch, Fein, Makita, Festool, Flex, and Hikoki.



The Starlock system uses a 3D-shaped connection that ensures optimal power transmission between the machine and the accessory. This allows the power to be transferred more efficiently, resulting in better performance and more precise work. In addition, this connection enables quick and easy accessories changes, saving time and speeding up the workflow.

There are three variants within the Starlock system: Starlock, StarlockPlus, and StarlockMax. These variants are designed to ensure compatibility with machines of different power classes. Starlock is suitable for standard applications, StarlockPlus for heavier tasks, and StarlockMax for the most demanding jobs. Since its introduction in 2016, the Starlock system has become the new standard for multitool

accessories. It offers users the flexibility to use accessories from different brands, making it a versatile and future-proof choice for both professionals and DIYers looking for reliability and efficiency in their work.

The SL saw blades are also equipped with the OIS system (12-pin) and the Multimount system (central star), making them compatible with all older machines with an OIS or Multimount interface.





# WOOD & PLASTIC

## SL04

**35X50MM**
**HCS**


**TPI 18**

 To use as:  
**Fein 133**

Easy plunge cuts in material at any location.  
 Length to holder 42mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



DW04 UN04 SC04  
 p.31 p.41 p.53

PU	ART.NR.
1 PC	QBL382103
5 PCS	QBL382165
10+1 PCS	QBL382219
100+15 PCS	QBL382431

## SL05

**35X55MM**
**HCS**
**CURVED**

**TPI 18**

 To use as:  
**Fein 227**

Easy plunge cuts in material at any location.  
 Length to holder 47mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

PU	ART.NR.
1 PC	QBL383841
5 PCS	QBL383858
10+1 PCS	QBL383865
100+15 PCS	QBL383872

## SL06

**35X50MM**
**HCS**
**PRECISION**


**TPI 14**

 To use as:  
**Fein 126**

High speeds and precision thanks to the double tooth rows.  
 Length to holder 42mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:




DW06 UN06 SC06  
 p.31 p.41 p.53

PU	ART.NR.
1 PC	QBL382127
5 PCS	QBL382233
10+1 PCS	QBL382271
100+15 PCS	QBL382448

# WOOD & PLASTIC


## SL08

**65X50MM**
**HCS**  
**CURVED**

 To use as:  
**Fein 225**


Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm.


*Wood, plastics and plasterboard.*

Available arbors:



PU	ART.NR.
1 PC	QBL382110
5 PCS	QBL382172
10+1 PCS	QBL382226
100+15 PCS	QBL382455


## SL09

**65X50MM**
**HCS**  
**PRECISION**

 To use as:  
**Fein 230**


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm.


*Wood, plastics and plasterboard.*

Available arbors:



PU	ART.NR.
1 PC	QBL382134
5 PCS	QBL382189
10+1 PCS	QBL382240
100+15 PCS	QBL382554

## SL16

**35X50MM**
**BIM**  
**LONG LIFE**  
**PRECISION**

 To use as:  
**Fein 205**


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics and plasterboard.*

PU	ART.NR.
1 PC	QBL384695
5 PCS	QBL384701
10+1 PCS	QBL384718
100+15 PCS	QBL384992

## SL18

**50X50MM**
**BIM**  
**LONG LIFE**  
**PRECISION**

 To use as:  
**Fein 232**


High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics and plasterboard.*

PU	ART.NR.
1 PC	QBL384725
5 PCS	QBL384732
10+1 PCS	QBL384749
100+15 PCS	QBL385005



### SL03

35X50MM

**BIM**  
LONG LIFE




To use as:  
Fein 160



Wide range of applications due to Bi-Metal teeth.  
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL384664
5 PCS	QBL384671
10+1 PCS	QBL384688
100+15 PCS	QBL384985

### SL07

20X40MM

**BIM**  
LONG LIFE




To use as:  
Fein 183



Wide range of applications due to Bi-Metal teeth.  
Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL382882
5 PCS	QBL382899
10+1 PCS	QBL382905
100+15 PCS	QBL382912

### SL10

44X55MM

**BIM**  
LONG LIFE




To use as:  
Fein 223



Wide range of applications due to Bi-Metal teeth.  
Length to holder 47mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*


Available arbors:



PU	ART.NR.
1 PC	QBL382653
5 PCS	QBL382677
10+1 PCS	QBL382691
100+15 PCS	QBL382714

# WOOD & METAL


## SL13

**65X50MM**
**BIM**
**LONG LIFE**

 To use as:  
**Fein 228**

 Wide range of applications due to Bi-Metal teeth.  
 Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:


**DW13** p.34    **UN13** p.44    **SC13** p.56

PU	ART.NR.
1 PC	QBL382660
5 PCS	QBL382684
10+1 PCS	QBL382707
100+15 PCS	QBL382721

## SL15


**28X55MM**
**BIM**
**LONG LIFE**

 To use as:  
**Fein 222**

 Wide range of applications due to Bi-Metal teeth.  
 Length to holder 47mm. Thickness 0.8mm.



*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:


**SLP15** p.22    **DW15** p.34    **UN15** p.44    **SC15** p.56

PU	ART.NR.
1 PC	QBL382141
5 PCS	QBL382196
10+1 PCS	QBL382257
100+15 PCS	QBL382462


## SL20

**85MM**
**HSS**

 To use as:  
**Fein 106**


Wide range of applications due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*


Available arbors:


**DW20** p.34    **UN20** p.44    **SC20** p.56

PU	ART.NR.
1 PC	QBL383032
5 PCS	QBL383049
10+1 PCS	QBL383056

## SL81


**35X45MM**
**CARBIDE PRO**
**50x LONG LIFE**

 To use as:  
**Fein 236**


Thanks to the TiN coating, this saw blade is extremely wear-resistant. Length to holder 32mm.

*Wood, plastics, metal, stainless steel, hardened screws, brick, masonry and cement fiber boards.*

Available arbors:


**SLP83** p.22    **DW82** p.34    **UN82** p.45

PU	ART.NR.
1 PC	QBL383001
5 PCS	QBL383018
10+1 PCS	QBL383025



# BRICK & GROUT

## SL31

90X2MM




To use as:  
Fein 166



For grinding out joints and creating grooves.  
Low dust emission. Diamond. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:




DW30 p.35 UN30 p.46 SC30 p.57

PU	ART.NR.
1 PC	QBL383124
5 PCS	QBL383131
10+1 PCS	QBL383148

## SL40

80MM




To use as:  
Fein 001



This carbide rasp is suitable for coarse grinding of surfaces.  
Grit 30-40.

*Putty, tile mortar, concrete, stone and wood.*

Available arbors:



DW40 p.36 UN40 p.47 SC40 p.58

PU	ART.NR.
1 PC	QBL383063
5 PCS	QBL383070
10+1 PCS	QBL383087

# BRICK & GROUT

## SL45

75X2.2MM




To use as:  
Fein 118



For grinding out joints and creating grooves.  
Low dust emission. Carbide. Grit 60-80.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



DW45 p.36 UN45 p.47 SC45 p.58

PU	ART.NR.
1 PC	QBL383094
5 PCS	QBL383100
10+1 PCS	QBL383117

## SL46

75X1.2MM



To use as:  
Fein 125



For grinding out joints and creating grooves.  
Low dust emission. Carbide. Grit 30-40.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

PU	ART.NR.
1 PC	QBL383780
5 PCS	QBL383797
10+1 PCS	QBL383803

# GLUE & SILICONE

## SL70

50X0.8MM




To use as:  
Fein 226



Stable blade for cutting soft materials.  
Shape: straight. Length to holder 37mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



DW70 p.37 UN70 p.48 SC70 p.59

PU	ART.NR.
1 PC	QBL384138
5 PCS	QBL384145
10+1 PCS	QBL384152

## SL71

52X0.5MM



To use as:  
Fein 165



Flexible blade for cutting soft materials.  
Shape: straight. Length to holder 37mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

PU	ART.NR.
1 PC	QBL383216
5 PCS	QBL383223
10+1 PCS	QBL383230

## SL77

35X40MM




To use as:  
Fein 251



V-cuts and cutting in corners.  
Also suitable for cutting bitumen.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

PU	ART.NR.
1 PC	QBL384756
5 PCS	QBL384763
10+1 PCS	QBL384770




## SL51

**36X85MM**

 To use as:  
**Fein 159**


Ideal for the smallest corners and precision work.  
 Suitable for sanding pads UN65. With hook-and-loop.  
 Thickness 6.8mm.

Available arbors:


**DW51** p.38    **UN51** p.50    **SC51** p.61

PU	ART.NR.
1 PC	QBL385708

## UN65

**36X50MM**


Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

*Wood, metal, fiberglass, plastic, paint, filler, welds and leather.*


PU	GRIT	ART.NR.
60 PCS	60	QBL386095
60 PCS	80	QBL386101
60 PCS	100	QBL386118
60 PCS	120	QBL386125
60 PCS	240	QBL386132

## SL52

**93MM**


Sanding plate suitable for all sanding pads type UN62.  
 Perforated, with hook-and-loop.

Available arbors:


**DW52** p.38    **UN52** p.50    **SC52** p.62

 To use as:  
**Fein 129**

PU	ART.NR.
1 PC	QBL385708

## UN62

**93MM**


Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

*Wood, metal, fiberglass, plastic, paint, filler, welds and leather.*

PU	GRIT	ART.NR.
30 PCS	60	QBL385906
30 PCS	80	QBL385913
30 PCS	100	QBL385920
30 PCS	120	QBL385937
30 PCS	240	QBL385944

# SETS

## SL92




The HCS saw blades in this set are suitable for all tasks involving wood, drywall, and plastic. They allow for easy plunge cuts anywhere in the material. The BIM saw blade in this set are ideal for cutting wood, plastics, nails, copper and aluminum pipes, and profiles.

Set includes:

- 1x SL04
- 1x SL06
- 1x SL08
- 1x SL15

PU	ART.NR.
	SET OF 4PCS QBL382561

## SL93



The saw blades in this set are suitable for all tasks involving wood, drywall, and plastic. They allow for easy plunge cuts anywhere in the material.

Set includes:

- 5x SL04
- 6x SL06

PU	ART.NR.
	SET OF 11PCS QBL382578



# SLP



The SLP (StarlockPlus) connection is compatible with the **StarlockPlus system** for multitool accessories, jointly developed by Bosch and Fein. Designed for medium to heavy-duty applications, SLP offers improved power transmission and versatility for both professionals and demanding DIYers.



The StarlockPlus system uses a 3D interface with an eight-pointed star-shaped connection for efficient power transfer, minimizing vibrations and increasing precision. The 'click' mechanism allows for quick, tool-free accessory changes, saving time.

StarlockPlus accessories are suitable for multitools with medium to high power and can be used for working with wood, plastics, and metal. The system offers a wide range of accessories for various tasks such as sawing, sanding, scraping, and grinding — with great versatility and precision.

StarlockPlus accessories fit all Starlock machines. The SLP products marketed by Bosch are also equipped with the OIS system (12-pin), making the blades compatible with older machines that have an OIS interface. The SLP saw blades offered by Fein feature the Multimount system (central star), which makes them compatible with older machines using a Multimount connection.






## SLP08

65X50MM

HCS




To use as:  
Fein 134



Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



PU	ART.NR.
1 PC	QBL383889
5 PCS	QBL383896
10+1 PCS	QBL383902
100+15 PCS	QBL383919

## SLP09

65X50MM

HCS

PRECISION




To use as:  
Fein 127



High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



PU	ART.NR.
1 PC	QBL383926
5 PCS	QBL383933
10+1 PCS	QBL383940
100+15 PCS	QBL383957



# WOOD & METAL


## SLP11

44X60MM

**BIM**

LONG LIFE


To use as:  
Fein 152



Wide range of applications due to Bi-Metal teeth.  
Length to holder 54mm. Thickness 0.8mm

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL10 p.13 DW11 p.33 UN11 p.43 SC11 p.55

PU	ART.NR.
1 PC	QBL383964
5 PCS	QBL383971
10+1 PCS	QBL383988
100+15 PCS	QBL383995

## SLP15

28X60MM

**BIM**

LONG LIFE


To use as:  
Fein 151



Wide range of applications due to Bi-Metal teeth.  
Length to holder 54mm. Thickness 0.8mm

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL15 p.14 DW15 p.34 UN15 p.44 SC15 p.56

PU	ART.NR.
1 PC	QBL384008
5 PCS	QBL384015
10+1 PCS	QBL384022
100+15 PCS	QBL384039

## SLP83

35X60MM

**CARBIDE PRO**

50x LONG LIFE


To use as:  
Fein 237



Thanks to the TiN coating, this saw blade is extremely wear resistant. Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, metal, stainless steel, hardened screws, brick, masonry and cement fiber boards.

Available arbors:



DW82 p.34 UN82 p.45

PU	ART.NR.
1 PC	QBL384046
5 PCS	QBL384053
10+1 PCS	QBL384060

# BRICK & GROUT

## SLP34


35X50MM



For grinding out joints and creating grooves. Low dust emission. Diamond. Thickness 1.2mm

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



DW35 p.35 UN35 p.46 SC35 p.57

To use as:  
Fein 193

PU	ART.NR.
1 PC	QBL384077
5 PCS	QBL384084
10+1 PCS	QBL384091

## SLP44

35X50MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Thickness 2mm.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

To use as:  
Fein 191

PU	ART.NR.
1 PC	QBL384107
5 PCS	QBL384114
10+1 PCS	QBL384121



# SLM



The SLM (StarlockMax) connection is compatible with the most advanced **Starlock system**, developed by Bosch and Fein. This system is designed for heavy-duty professional applications that require maximum power and performance.



The StarlockMax system uses an innovative 3D interface that ensures direct and efficient power transmission between the machine and the accessory. This solid connection minimizes vibrations and increases precision during work. Accessories can be quickly changed with a simple 'click' and without additional tools, saving time and improving workflow.

StarlockMax accessories are specifically designed for high-powered multitools with a wide oscillation range. They are suitable for working on hard materials such as metal, stone, and hardwood, and can handle tasks like deep cutting, grinding, and scraping. The system offers a broad range of accessories, each optimized for specific applications, providing professionals with both versatility and precision in their work.

A key advantage is its compatibility with other Starlock levels. While StarlockMax accessories only fit StarlockMax machines due to their higher power requirements, Starlock and StarlockPlus accessories can also be used on StarlockMax machines. This provides flexibility when selecting accessories for different jobs.

In short, the StarlockMax system represents the pinnacle of power and efficiency in the world of multitools — ideal for professionals who demand the very best from their tools and accessories.







## SLM01

32X78MM

HCS



To use as:  
Fein 200



Easy plunge cuts in material at any location.  
Length to holder 68mm. Thickness 0.6mm  
*Wood, plastics and plasterboard.*

PU	ART.NR.
1 PC	QBL382806
5 PCS	QBL382813
10+1 PCS	QBL382820
100+15 PCS	QBL382837

## SLM02

42X78MM

HCS




To use as:  
Fein 202



Easy plunge cuts in material at any location.  
Length to holder 68mm. Thickness 0.6mm  
*Wood, plastics and plasterboard.*

Available arbors:



DW02 p.31   UN02 p.41   SC02 p.53

PU	ART.NR.
1 PC	QBL382844
5 PCS	QBL382851
10+1 PCS	QBL382868
100+15 PCS	QBL382875



## SLM12


42X78MM

**BIM**

LONG LIFE




To use as:  
Fein 203



Wide range of applications due to Bi-Metal teeth.  
Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL382967
5 PCS	QBL382974
10+1 PCS	QBL382981
100+15 PCS	QBL382998

## SLM17

32X78MM

**BIM**

LONG LIFE



To use as:  
Fein 211



Wide range of applications due to Bi-Metal teeth.  
Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
1 PC	QBL382929
5 PCS	QBL382936
10+1 PCS	QBL382943
100+15 PCS	QBL382950



# BRICK & GROUT

## SLM41

58X2.2MM




To use as:  
Fein 241



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45. Thickness 2.2mm.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



DW35 p.35 UN35 p.46 SC35 p.57

PU	ART.NR.
1 PC	QBL383155
5 PCS	QBL383162
10+1 PCS	QBL383179

## SLM42

58X1.2MM




To use as:  
Fein 240



Deze hardmetalen rasp is geschikt voor het grof slijpen van oppervlaktes. Korrel 30-40. Thickness 1.2mm.

Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.

Available arbors:



DW36 p.35 UN36 p.47 SC36 p.58

PU	ART.NR.
1 PC	QBL383186
5 PCS	QBL383193
10+1 PCS	QBL383209



# GLUE & SILICONE

## SLM76

65x2mm




To use as:  
Fein 238



Ideal for removing sealant/expansion joints.  
Super steady!

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



DW76 p.37 UN76 p.49 SC76 p.60

PU	ART.NR.
1 PC	QBL383247
5 PCS	QBL383254
10+1 PCS	QBL383261

## SLM78

30X85MM




To use as:  
Fein 236



Universal blade for removing almost all expansion joints.  
Thickness 0.9mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



DW78 p.37 UN78 p.49 SC78 p.60


PU	ART.NR.
1 PC	QBL383278
5 PCS	QBL383285
10+1 PCS	QBL383292





# DW

The DW (DeWalt) connection is suitable for multitools with the **OpenBack-system** and refers to a design where the rear of the connection is open, allowing users to change accessories quickly and easily. This increases efficiency and ease of use.



A key feature of the Open Back system is the strong tension spring, which functions as a release mechanism. You hold down the lever, which opens a connection anchor. Then, you slide in the saw blade and release the lever. The blade is now automatically secured and locked in place, allowing for extremely fast accessory changes.

The Open Back system is a smart and easy-to-use system — an attractive option for professionals looking for a user-friendly and efficient multitool.

In addition, the DW connection is also compatible with almost all machines that use an OIS system (12-pin) or a Multimount system (central star).



# WOOD & PLASTIC


## DW02

44X78MM

HCS




TPI 15



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SLM02 UN02 SC02  
p.25 p.41 p.53

PU	ART.NR.
1 PC	QBL384787
5 PCS	QBL384794
10+1 PCS	QBL394800
100+15 PCS	QBL384817

## DW04

34X40MM

HCS




TPI 18



Easy plunge cuts in material at any location. Length to holder 40mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL04 UN04 SC04  
p.11 p.41 p.53

PU	ART.NR.
1 PC	QBL383315
5 PCS	QBL383322
10+1 PCS	QBL383339
100+15 PCS	QBL383346

## DW06

34X40MM

HCS

PRECISION




TPI 14



High speeds and precision thanks to the double tooth rows. Length to holder 40mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL06 UN06 SC06  
p.11 p.41 p.53


PU	ART.NR.
1 PC	QBL383391
5 PCS	QBL383407
10+1 PCS	QBL383414
100+15 PCS	QBL383421

# WOOD & PLASTIC

## DW08

65X42MM


HCS



Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



SL08 p.12   SLP08 p.21   UN08 p.42   SC08 p.54

PU	ART.NR.
1 PC	QBL383353
5 PCS	QBL383360
10+1 PCS	QBL383377
100+15 PCS	QBL383384

## DW09

68X42MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



SL09 p.12   SLP09 p.21   UN09 p.42   SC09 p.54

PU	ART.NR.
1 PC	QBL383568
5 PCS	QBL383575
10+1 PCS	QBL383582
100+15 PCS	QBL383599



# WOOD & METAL

## DW03

34X40MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 40mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL384824
5 PCS	QBL384831
10+1 PCS	QBL384848
100+15 PCS	QBL384855

## DW11

45X60MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 57mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:




PU	ART.NR.
1 PC	QBL382066
5 PCS	QBL382073
10+1 PCS	QBL382080
100+15 PCS	QBL382097

## DW12

44X78MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL384862
5 PCS	QBL384879
10+1 PCS	QBL384886
100+15 PCS	QBL384893

MULTITOOl DW

# WOOD & METAL

## DW13

68X42MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 42mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL383438
5 PCS	QBL383445
10+1 PCS	QBL383452
100+15 PCS	QBL383469

## DW15

28X60MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 54mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL383476
5 PCS	QBL383483
10+1 PCS	QBL383490
100+15 PCS	QBL383506

## DW20

88MM


**BIM**

LONG LIFE



Wide range of applications due to Bi-Metal teeth. *Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL383605
5 PCS	QBL383612
10+1 PCS	QBL383629

## DW82

35X40MM

**CARBIDE PRO**


50x LONG LIFE



Thanks to the TiN coating, this saw blade is extremely wear-resistant. Thickness 0.8mm.

*Wood, plastics, metal, stainless steel, hardened screws, brick, masonry and cement fiber boards.*

Available arbors:



PU	ART.NR.
1 PC	QBL384169
5 PCS	QBL384176
10+1 PCS	QBL384183

MULTITOOl DW





## DW30


80X2MM



For grinding out joints and creating grooves.  
Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



PU	ART.NR.
1 PC	QBL383636
5 PCS	QBL383643
10+1 PCS	QBL383650

## DW35


58X2MM



For grinding out joints and creating grooves.  
Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



PU	ART.NR.
1 PC	QBL383513
5 PCS	QBL383520
10+1 PCS	QBL383537

## DW36


58X1.4MM



For grinding out joints and creating grooves.  
Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



PU	ART.NR.
1 PC	QBL384954
5 PCS	QBL384961
10+1 PCS	QBL384978

# BRICK & GROUT

## DW40


80MM



This carbide rasp is suitable for coarse grinding of surfaces. Grit 30-40.

*Filler, tilespecie, concrete, stone and wood.*

Available arbors:



SL40 p.15   UN40 p.47   SC40 p.58

PU	ART.NR.
1 PC	QBL383667
5 PCS	QBL383674
10+1 PCS	QBL383681

## DW45


63X2.2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 60-80.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SL45 p.16   UN45 p.47   SC45 p.58

PU	ART.NR.
1 PC	QBL383698
5 PCS	QBL383704
10+1 PCS	QBL383711

MULTITOOl DW





## DW70


52X0.9MM



Stable blade for cutting soft materials. Shape: round. Length up to holder 29mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SL70 p.17 UN70 p.48 SC70 p.59

PU	ART.NR.
1 PC	QBL383728
5 PCS	QBL383735
10+1 PCS	QBL383742

## DW76


70X1.5MM



Ideal for removing sealant joints/expansion joints. Super stable!

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SLM76 p.28 UN76 p.49 SC76 p.60

PU	ART.NR.
1 PC	QBL383759
5 PCS	QBL383766
10+1 PCS	QBL383773

## DW78


30X85MM



Universal blade for removing almost all expansion joints. Thickness 0.9mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SLM78 p.28 UN78 p.49 SC78 p.60

PU	ART.NR.
1 PC	QBL384909
5 PCS	QBL384916
10+1 PCS	QBL384923

# SANDING


## DW51

36X50MM



Ideal for the smallest corners and precision work. Suitable for sanding pads UN65. With hook-and-loop. Thickness 6.8mm.

Available arbors:



SL51 p.18 UN51 p.50 SC51 p.61

PU	ART.NR.
2 PCS	QBL384930

## UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

*Wood, metal, fiberglass, plastic, paint, filler, welds and leather.*

PU	GRIT	ART.NR.
60 PCS	60	QBL386095
60 PCS	80	QBL386101
60 PCS	100	QBL386118
60 PCS	120	QBL386125
60 PCS	240	QBL386132


## DW52

93MM



Sanding pad base suitable for all sanding pads type UN62. Perforated, with hook-and-loop.

Available arbors:



SL52 p.18 UN52 p.50 SC52 p.61

PU	ART.NR.
2 PCS	QBL384947

## UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

*Wood, metal, fiberglass, plastic, paint, filler, welds and leather.*

PU	GRIT	ART.NR.
30 PCS	60	QBL385906
30 PCS	80	QBL385913
30 PCS	100	QBL385920
30 PCS	120	QBL385937
30 PCS	240	QBL385944

# SETS

## DW92



The HCS saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material. With the BIM saw blade in this set, you can cut wood, plastics, nails, copper and aluminium pipes and profiles.

Set includes:

- 1x DW04
- 1x DW06
- 1x DW08
- 1x DW11

PU	ART.NR.
	SET OF 4PCS QBL383551

## DW93



The saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material.

Set includes:

- 5x DW04
- 6x DW06

PU	ART.NR.
	SET OF 11PCS QBL383544



# UN

The UN connection is compatible with both the **OIS system (Oscillating Interface System)** and the **MultiMount system**, and has improved compatibility between different brands and accessories. The system was introduced by Bosch and Fein and was designed to offer a universal interface for oscillating tools.



The OIS system uses a 12-pin configuration, which ensures accessories are securely and firmly attached to the multitool. This design provides efficient power transmission and reduces vibrations during use, allowing for more precise and comfortable work.

The MultiMount system is recognizable by the symmetrical cross in the center of the connection. It was marketed by Fein for the popular Multimaster and Multitalent machines.

With the introduction of UN saw blades, it became easier for users to switch accessories and use multitools more flexibly for various tasks such as sawing, sanding, and scraping. Although newer systems like Starlock have since been developed, OIS and MultiMount remain widely used and reliable standards in the world of multitools.






## UN02

44X78MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.8mm.

Wood, plastics and plasterboard.

Available arbors:




SLM02 p.25 DW02 p.31 SC02 p.53

PU	ART.NR.
1 PC	QBL381748
5 PCS	QBL381809
10+1 PCS	QBL381861
100+15 PCS	QBL381922

## UN04

34X40MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 40mm. Thickness 0.8mm.

Wood, plastics and plasterboard.

Available arbors:



SL04 p.11 DW04 p.31 SC04 p.53

PU	ART.NR.
1 PC	QBL380000
5 PCS	QBL380680
10+1 PCS	QBL380949
100+15 PCS	QBL381083

## UN06

34X40MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 40mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL06 p.11 DW06 p.31 SC06 p.53

PU	ART.NR.
1 PC	QBL380062
5 PCS	QBL380741
10+1 PCS	QBL381007
100+15 PCS	QBL381144



# WOOD & PLASTIC

## UN07

20X40MM


HCS



Easy plunge cuts in material at any location. Length to holder 40mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:




SL07 p.13 SC07 p.54

PU	ART.NR.
1 PC	QBL380024
5 PCS	QBL380703
10+1 PCS	QBL380963
100+15 PCS	QBL381106

## UN08

65X42MM


HCS



Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL08 p.12 SLP08 p.21 DW08 p.32 SC08 p.54

PU	ART.NR.
1 PC	QBL380048
5 PCS	QBL380727
10+1 PCS	QBL380987
100+15 PCS	QBL381120

## UN09

68X42MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL09 p.12 SLP09 p.21 DW09 p.32 SC09 p.54

PU	ART.NR.
1 PC	QBL381762
5 PCS	QBL381823
10+1 PCS	QBL381885
100+15 PCS	QBL381946

MULTITOOl UN



# WOOD & METAL

## UN03

34X40MM

BIM


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 40mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:




PU	ART.NR.
1 PC	QBL380086
5 PCS	QBL380765
10+1 PCS	QBL381021
100+15 PCS	QBL381168

## UN11

45X60MM

BIM


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 57mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:




PU	ART.NR.
1 PC	QBL380482
5 PCS	QBL380802
10+1 PCS	QBL380642
100+15 PCS	QBL381182

## UN12

44X78MM

BIM


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL381786
5 PCS	QBL381847
10+1 PCS	QBL381908
100+15 PCS	QBL381960




# WOOD & METAL

## UN13

68X42MM

BIM

LONG LIFE




TPI 19



Wide range of applications due to Bi-Metal teeth. Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL13 p.14 DW13 p.34 SC13 p.56

PU	ART.NR.
1 PC	QBL382479
5 PCS	QBL382493
10+1 PCS	QBL382516
100+15 PCS	QBL382530

## UN15

28X60MM

BIM

LONG LIFE




TPI 20



Wide range of applications due to Bi-Metal teeth. Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL15 p.14 SLP15 p.22 DW15 p.34 SC15 p.56

PU	ART.NR.
1 PC	QBL380123
5 PCS	QBL380826
10+1 PCS	QBL381069
100+15 PCS	QBL381205

## UN20

88MM

BIM

LONG LIFE




TPI 20



Wide range of applications due to Bi-Metal teeth. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL20 p.14 DW20 p.34 SC20 p.56

PU	ART.NR.
1 PC	QBL380147
5 PCS	QBL380840
10+1 PCS	QBL381601

MULTITOOLO UN



# WOOD & METAL

## UN21

80MM

HSS



Wide range of applications due to HSS (High Speed Steel) teeth. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



SC21  
p.56


PU	ART.NR.
1 PC	QBL381342
5 PCS	QBL381359
10+1 PCS	QBL381588

## UN82

35X40MM

CARBIDE PRO

50x LONG LIFE



Thanks to the TiN coating, this saw blade is extremely wear-resistant. Thickness 0.8mm.

*Wood, plastics, metal, stainless steel, hardened screws, brick, masonry and cement fiber boards.*

Available arbors:



SL81  
p.14



SLP83  
p.22



DW82  
p.34


PU	ART.NR.
1 PC	QBL383810
5 PCS	QBL383827
10+1 PCS	QBL383834



# BRICK & GROUT

## UN30


85X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SL31 p.15 DW30 p.35 SC30 p.57

PU	ART.NR.
1 PC	QBL380208
5 PCS	QBL381540
10+1 PCS	QBL381656

## UN32

63X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SC32 p.57

PU	ART.NR.
1 PC	QBL380222
5 PCS	QBL381564
10+1 PCS	QBL381670

## UN35


58X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SLM41 p.27 DW35 p.35 SC35 p.57

PU	ART.NR.
1 PC	QBL380246
5 PCS	QBL381427
10+1 PCS	QBL381403



# BRICK & GROUT

## UN36


58X1.4MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SLM42 p.27 DW36 p.35 SC36 p.58

PU	ART.NR.
1 PC	QBL382301
5 PCS	QBL382349
10+1 PCS	QBL382387

## UN40


80MM



This carbide rasp is suitable for coarse grinding of surfaces. Grit 30-40.

*Filler, tilespecie, concrete, steen and hout.*

Available arbors:



SL40 p.15 DW40 p.36 SC40 p.58

PU	ART.NR.
1 PC	QBL380161
5 PCS	QBL381502
10+1 PCS	QBL381618

## UN45


63X2.2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 60-80.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SL45 p.16 DW45 p.36 SC45 p.58

PU	ART.NR.
1 PC	QBL380185
5 PCS	QBL381526
10+1 PCS	QBL381632



## UN70


52X0.9MM



Stable blade for cutting soft materials. Shape: round. Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SL70 p.17 DW70 p.37 SC70 p.59

PU	ART.NR.
1 PC	QBL380260
5 PCS	QBL380864
10+1 PCS	QBL381311

## UN72

52X0.9MM



Stable blade for cutting soft materials. Shape: concave. Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SC72 p.59

PU	ART.NR.
1 PC	QBL380284
5 PCS	QBL380888
10+1 PCS	QBL381298

## UN73

60X1.5MM



Ideal for removing old (butyl) sealant. Thanks to the V-shape it works in almost all corners.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SC73 p.59

PU	ART.NR.
1 PC	QBL381441
5 PCS	QBL381458
10+1 PCS	QBL381465

# GLUE & SILICONE

## UN75

55X0.9MM



Segment shape, for V-cuts and cutting in corners.  
Also suitable for cutting bitumen.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SC75  
p.60

PU	ART.NR.
1 PC	QBL380307
5 PCS	QBL380901
10+1 PCS	QBL381274

## UN76

70X1.5MM



Ideal for removing sealant/expansion joints. Super stable!

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SLM76  
p.28



DW76  
p.37



SC76  
p.60

PU	ART.NR.
1 PC	QBL381045
5 PCS	QBL381229
10+1 PCS	QBL381250

## UN78

30X85MM



Universal blade for removing almost all expansion joints.  
Thickness 0.9mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SLM78  
p.28



DW78  
p.37



SC78  
p.60

PU	ART.NR.
1 PC	QBL380321
5 PCS	QBL380925
10+1 PCS	QBL381328



# SANDING


## UN51

36X50MM



Ideal for the smallest corners and precision work. Suitable for sanding pads UN65. With hook-and-loop.

Available arbors:



SL51 p.18 DW51 p.38 SC51 p.61

PU	ART.NR.
2 PCS	QBL380369

## UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

PU	GRIT	ART.NR.
60 PCS	60	QBL386095
60 PCS	80	QBL386101
60 PCS	100	QBL386118
60 PCS	120	QBL386125
60 PCS	240	QBL386132


## UN52

93MM



Sanding plate suitable for all sanding pads type UN62. Perforated, with hook-and-loop.

Available arbors:



SL52 p.18 DW52 p.38 SC52 p.62

PU	ART.NR.
2 PCS	QBL381984

## UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

Wood, metal, fiberglass, plastic, paint, filler, welds and leather.

PU	GRIT	ART.NR.
30 PCS	60	QBL385906
30 PCS	80	QBL385913
30 PCS	100	QBL385920
30 PCS	120	QBL385937
30 PCS	240	QBL385944

MULTITOOl UN



# SETS

## UN92





The HCS saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material. With the BIM saw blade in this set, you can cut wood, plastics, nails, copper and aluminium pipes, and profiles.

Set includes:

- 1x UN04
- 1x UN06
- 1x UN08
- 1x UN11

PU	ART.NR.
	SET OF 4PCS QBL380628

## UN93



The saw blades in this set are suitable for all tasks involving wood, plasterboard, and plastic. Easy plunge cuts at any point in the material.

Set includes:


- 5x UN04
- 6x UN06

PU	ART.NR.
	SET OF 11PCS QBL380666



# SC

The SC connection is compatible with the **Supercut system** — the oldest and most robust system from Fein, specifically developed for professional users who demand maximum power, precision, and durability. This system is designed to handle heavy and demanding tasks in sectors such as construction, renovation, and installation with ease and efficiency.



A distinctive feature of the Supercut system is its hexagonal shape. It is the predecessor of the Starlock MAX system.

The Supercut system is still in use today and remains a rugged and proven mounting mechanism for accessories. Thanks to its design, attachments stay firmly in place even during intensive use.

This system supports a wide range of high-quality accessories, often specifically tailored to professional requirements — such as precision cutting or heavy-duty sawing tasks.

In short, as Fein's oldest system, the Supercut system offers unmatched power, precision, and reliability, making it an excellent choice for professionals who accept nothing less than top performance from their tools.






## SC02

44X78MM


HCS



Coarse set teeth for easy plunge cuts in material at any location. Length to holder 68mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



SLM02 DW02 UN02  
p.25 p.31 p.41

PU	ART.NR.
1 PC	QBL381755
5 PCS	QBL381816
10+1 PCS	QBL381878
100+15 PCS	QBL381939

## SC04

34X40MM


HCS



Easy plunge cuts in material at any location. Length to holder 40mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



SL04 DW04 UN04  
p.11 p.31 p.41

PU	ART.NR.
1 PC	QBL380017
5 PCS	QBL380697
10+1 PCS	QBL380956
100+15 PCS	QBL381090

## SC06

34X40MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 40mm. Thickness 0.6mm.

*Wood, plastics and plasterboard.*

Available arbors:



SL06 DW06 UN06  
p.11 p.31 p.41

PU	ART.NR.
1 PC	QBL380079
5 PCS	QBL380758
10+1 PCS	QBL381014
100+15 PCS	QBL381151



# WOOD & PLASTIC

## SC07

20X40MM


HCS



Easy plunge cuts in material at any location. Length to holder 40mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL07 p.13 UN07 p.42

PU	ART.NR.
1 PC	QBL380031
5 PCS	QBL380710
10+1 PCS	QBL380970
100+15 PCS	QBL381113

## SC08

65X42MM


HCS



Easy plunge cuts in material at any location. Length to holder 42mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL08 p.12 SLP08 p.21 DW08 p.32 UN08 p.42

PU	ART.NR.
1 PC	QBL380055
5 PCS	QBL380734
10+1 PCS	QBL380994
100+15 PCS	QBL381137

## SC09

68X42MM

HCS


PRECISION



High speeds and precision thanks to the double tooth rows. Length to holder 40mm. Thickness 0.6mm.

Wood, plastics and plasterboard.

Available arbors:



SL09 p.12 SLP09 p.21 DW09 p.32 UN09 p.42

PU	ART.NR.
1 PC	QBL381779
5 PCS	QBL381830
10+1 PCS	QBL381892
100+15 PCS	QBL381953





# WOOD & METAL

## SC03

34X40MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 40mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL380093
5 PCS	QBL380772
10+1 PCS	QBL381038
100+15 PCS	QBL381175

## SC11

45X60MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 57mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:




PU	ART.NR.
1 PC	QBL380499
5 PCS	QBL380819
10+1 PCS	QBL380659
100+15 PCS	QBL381199

## SC12

44X78MM

**BIM**


LONG LIFE



Wide range of applications due to Bi-Metal teeth. Length to holder 68mm. Thickness 0.8mm.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

Available arbors:



PU	ART.NR.
1 PC	QBL381793
5 PCS	QBL381854
10+1 PCS	QBL381915
100+15 PCS	QBL381977




# WOOD & METAL

## SC13

68X42MM

**BIM**

LONG LIFE




TPI 19



Wide range of applications due to Bi-Metal teeth. Length to holder 42mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL13 p.14 DW13 p.34 UN13 p.44

PU	ART.NR.
1 PC	QBL382486
5 PCS	QBL382509
10+1 PCS	QBL382523
100+15 PCS	QBL382547

## SC15

28X60MM

**BIM**

LONG LIFE




TPI 20



Wide range of applications due to Bi-Metal teeth. Length to holder 54mm. Thickness 0.8mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



SL15 p.14 SLP15 p.22 DW15 p.34 UN15 p.44


PU	ART.NR.
1 PC	QBL380130
5 PCS	QBL380833
10+1 PCS	QBL381076
100+15 PCS	QBL381212

## SC20

88MM

**BIM**

LONG LIFE




TPI 20



Wide range of applications due to Bi-Metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:




SL20 p.14 DW20 p.34 UN20 p.44

PU	ART.NR.
1 PC	QBL380154
5 PCS	QBL380857
10+1 PCS	QBL381694

## SC21

80MM

**HSS**



TPI 20



Wide range of applications due to HSS (High Speed Steel) teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

Available arbors:



UN21 p.45

PU	ART.NR.
1 PC	QBL381366
5 PCS	QBL381373
10+1 PCS	QBL381595



# BRICK & GROUT

## SC30


85X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SL31 p.15 DW30 p.35 UN30 p.46

PU	ART.NR.
1 PC	QBL380215
5 PCS	QBL381557
10+1 PCS	QBL381663

## SC32

63X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



UN32 p.46

PU	ART.NR.
1 PC	QBL380239
5 PCS	QBL381571
10+1 PCS	QBL381687

## SC35


58X2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



SLM41 p.27 DW35 p.35 UN35 p.46

PU	ART.NR.
1 PC	QBL380253
5 PCS	QBL381434
10+1 PCS	QBL381410

# BRICK & GROUT

## SC36


58X1.4MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 40-45.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:



PU	ART.NR.
1 PC	QBL382325
5 PCS	QBL382363
10+1 PCS	QBL382400

## SC40


80MM



This carbide rasp is suitable for coarse grinding of surfaces. Grit 30-40.

*Filler, tilespecie, concrete, stone and hout.*

Available arbors:



PU	ART.NR.
1 PC	QBL380178
5 PCS	QBL381519
10+1 PCS	QBL381625

## SC45


63X2.2MM



For grinding out joints and creating grooves. Low dust emission. Carbide. Grit 60-80.

*Stone, epoxy, cement joints, putty, tiles, hollow concrete and aerated concrete.*

Available arbors:




PU	ART.NR.
1 PC	QBL380192
5 PCS	QBL381533
10+1 PCS	QBL381649

# GLUE & SILICONE

## SC70


52X0.9MM



Stable blade for cutting soft materials. Shape: round. Length to holder 29mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SL70 p.17 DW70 p.37 UN70 p.48

PU	ART.NR.
1 PC	QBL380277
5 PCS	QBL380871
10+1 PCS	QBL381304

## SC72

52X0.9MM



Stable blade for cutting soft materials. Shape: concave. Length to holder 28mm.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



UN72 p.48

PU	ART.NR.
1 PC	QBL380291
5 PCS	QBL380895
10+1 PCS	QBL381281

## SC73

60X1.5MM



Ideal for removing old (butyl) sealant. Thanks to the V-shape it works in almost all corners.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



UN73 p.48

PU	ART.NR.
1 PC	QBL381472
5 PCS	QBL381489
10+1 PCS	QBL381496

# GLUE & SILICONE

## SC75

55X0.9MM



Segment shape, for V-cuts and cutting in corners. Also suitable for cutting bitumen.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



UN75  
p.49

PU	ART.NR.
1 PC	QBL380314
5 PCS	QBL380918
10+1 PCS	QBL381267

## SC76

70X1.5MM



Ideal for removing sealant/expansion joints. Super stable!

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SLM76  
p.28



DW76  
p.37



UN76  
p.49

PU	ART.NR.
1 PC	QBL381052
5 PCS	QBL381236
10+1 PCS	QBL381243

## SC78

30X85MM



Universal blade for removing almost all expansion joints.

*Felt, leather, styrofoam, sealant, tile adhesive, linoleum and underlay protection.*

Available arbors:



SLM78  
p.28



DW78  
p.37



UN78  
p.49

PU	ART.NR.
1 PC	QBL380338
5 PCS	QBL380932
10+1 PCS	QBL381335





# SANDING


## SC51

36X50MM



Ideal for the smallest corners and precision work.  
Suitable for sanding pads UN65.  
With hook-and-loop.

Available arbors:



SL51 p.18   DW51 p.38   UN51 p.50

PU	ART.NR.
2 PCS	QBL380376

## UN65

36X50MM



Various grits available. To be used with finger-shaped sanding base UN/SC/DW and SL51.

*Wood, metal, fiberglass, plastic, paint, filler, welds and leather.*

PU	GRIT	ART.NR.
60 PCS	60	QBL386095
60 PCS	80	QBL386101
60 PCS	100	QBL386118
60 PCS	120	QBL386125
60 PCS	240	QBL386132



# SANDING


## SC52

93MM



Sanding pad base suitable for all sanding pads type UN62. Perforated, with hook-and-loop.

Available arbors:



SL52 p.18 DW52 p.38 UN52 p.50

PU	ART.NR.
2 PCS	QBL381991

## UN62

93MM



Various grits available. To be used with triangle-shaped sanding base UN/SC/DW and SL52.

*Wood, metal, fiberglass, plastic, paint, filler, welds and leather.*

PU	GRIT	ART.NR.
30 PCS	60	QBL385906
30 PCS	80	QBL385913
30 PCS	100	QBL385920
30 PCS	120	QBL385937
30 PCS	240	QBL385944



# SETS

## SC92



The HCS saw blades in this set are suitable for all tasks with wood, plasterboard and plastics. Easy plunge cuts at any point in the material. The BIM saw blade in this set cut wood, plastics, nails, copper and aluminium pipes and profiles.

Set includes:

- 1x SC04
- 1x SC06
- 1x SC08
- 1x SC11

PU	ART.NR.
	SET OF 4PCS QBL380635

## SC93



The saw blades in this set are suitable for all tasks with wood, plasterboard and plastics. Easy plunge cuts at any point in the material.

Set includes:

- 5x SC04
- 6x SC06

PU	ART.NR.
	SET OF 11PCS QBL380673



# RECIPRO

## MAXIMUM PERFORMANCE AND DURABILITY

Qblades has conducted two years of intensive testing to develop the highest quality reciprocating saw blades. The result is a collection of 36 blades suitable for a wide range of materials and applications. Naturally available in various lengths, thicknesses and TPI (teeth per inch).

Think of coarse blades for pruning and rough wood, and all-rounders for heavy demolition work, such as removing window frames or cutting through steel structures.

- ✓ Choose flexible blades for **wood with nails** – ideal for cutting along the ground or in corners.
- ✓ For **metal**, you can choose from thin, medium, and thick materials. The thinner the metal, the finer the teeth; the thicker the metal, the coarser.
- ✓ In addition to **HCS** and **BIM** variants, the range also includes **Carbide** blades in each category, which last up to 50 times longer.
- ✓ Our **demolition** blades often feature variable tooth spacing for optimal performance on mixed materials.
- ✓ The blades for **hollow brick** are popular and suitable for aerated concrete and harder stone types, although this comes at the cost of reduced lifespan.




# WOOD

## QRC0109

240X1.3MM

HCS



To use as:  
Bosch S1531L



Very coarse saw blade for fast cuts.  
*Wood, nails, plasterboard and plastics.*

PU	ART.NR.
5 PCS	QBL385043
Bulk (50 PCS)	QBL385739

## QRC0206

152X1.3MM

HCS



To use as:  
Bosch S644D

Ideal for fast, straight cuts.  
*Wood, structural wood, plastics and plasterboard.*

PU	ART.NR.
5 PCS	QBL385050

## QRC0308

203X1.3MM

HCS



To use as:  
Bosch S2345X

Ideal for fast, straight cuts.  
*Wood, structural wood, plastics and plasterboard.*

PU	ART.NR.
5 PCS	QBL385067
Bulk (50 PCS)	QBL385753

RECIPRO




# WOOD

## QRC0809

228X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



Very coarse saw blade for fast cutting. Extra robust due to carbide teeth.

*Wood, hardwood, plastics and plasterboard.*

To use as:

**Bosch S1142KHM**



PU	ART.NR.
1 PC	QBL385074

## QRC0812

304X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



Very coarse saw blade for fast cutting. Extra robust due to carbide teeth.

*Wood, hardwood, plastics and plasterboard.*

To use as:

**Bosch S1242KHM**

PU	ART.NR.
1 PC	QBL385081






# WOOD & NAILS

## QRC1109

228X1.6MM

**BIM**

**LONG LIFE**



Suitable for wood with nails. Broad application due to Bi-Metal teeth.

To use as:  
**Bosch S1110VF**

*Wood, plastics, nails, copper and aluminum pipes and profiles.*



PU	ART.NR.
5 PCS	QBL385098

## QRC1112

300X1.6MM

**BIM**

**LONG LIFE**



Broad application due to Bi-Metal teeth.

To use as:  
**Bosch S1210VF**

*Wood, plastics, nails, copper and aluminum pipes and profiles.*


PU	ART.NR.
5 PCS	QBL385104

## QRC1206

152X1.27MM

**BIM**

**LONG LIFE**



Broad application due to Bi-Metal teeth.

To use as:  
**Bosch S711DF**

*Wood, plastics, nails, copper and aluminum pipes and profiles.*



PU	ART.NR.
5 PCS	QBL385111

## QRC1309

228X1.27MM

**BIM**

**LONG LIFE**



Suitable for wood with nails. Broad application due to Bi-Metal teeth.

To use as:  
**Bosch S1111DF**

*Wood, plastics, nails, copper and aluminum pipes and profiles.*

PU	ART.NR.
5 PCS	QBL385128

RECIPRO




# WOOD & NAILS

## QRC1312

302X1.27MM



LONG LIFE



Suitable for wood with nails. Broad application due to Bi-Metal teeth.

*Wood, plastics, nails, copper and aluminum pipes and profiles.*

To use as:  
Bosch S1411DF


PU	ART.NR.
5 PCS	QBL385135
Bulk (50 PCS)	QBL385784

## QRC1406

150X0.96MM



LONG LIFE



Very flexible for cutting close to the ground or wall. Broad application due to Bi-Metal teeth.

*Wood, plastics, nails, copper and aluminum pipes and profiles.*

To use as:  
Bosch S922HF

PU	ART.NR.
5 PCS	QBL385142

## QRC1409

228X0.96MM



LONG LIFE



Very flexible for cutting close to the ground or wall. Broad application due to Bi-Metal teeth.

*Wood, plastics, nails, copper and aluminum pipes and profiles.*

To use as:  
Bosch S1122HF


PU	ART.NR.
5 PCS	QBL385159

## QRC1512

304X0.96MM



LONG LIFE



Very flexible for cutting close to the ground or wall. Broad application due to Bi-Metal teeth.

*Wood, plastics, nails, copper and aluminum pipes and profiles.*

To use as:  
Bosch S1222VF

PU	ART.NR.
5 PCS	QBL385166

RECIPRO







# ALL-ROUNDERS DEMOLITION

## QRC2209

228X1.6MM

BIM

LONG LIFE



Suitable for wood with nails and thick steel from 4 to 12mm.  
Broad application due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

To use as:

Bosch S1120CF



PU	ART.NR.
5 PCS	QBL385210
Bulk (50 PCS)	QBL385821

## QRC2212

300X1.6MM

BIM

LONG LIFE



Suitable for wood with nails and thick steel from 4 to 12mm.  
Broad application due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

To use as:

Bosch S1226CHF



PU	ART.NR.
5 PCS	QBL385227

## QRC2406

152X0.96MM

BIM

LONG LIFE



Suitable for wood with nails and thick steel from 2,5 to 8mm.  
Broad application due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

To use as:

Bosch S123XF


PU	ART.NR.
5 PCS	QBL385180

## QRC2508

203X1.3MM

BIM

LONG LIFE



Suitable for wood with nails and thick steel from 4 to 10mm.  
Broad application due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

To use as:

Bosch S3456XF

PU	ART.NR.
5 PCS	QBL385173
Bulk (50 PCS)	QBL385807

RECI PRO



# ALL-ROUNDERS - DEMOLITION

## QRC2806

152X1.6MM

**CARBIDE PRO**  
50x LONG LIFE



To use as:  
**Bosch S956DHM**

Suitable for wood with nails and thick steel from 4 to 12mm.  
Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
1 PC	QBL385197

## QRC2809

228X1.6MM

**CARBIDE PRO**  
50x LONG LIFE



To use as:  
**Bosch S1156XHM**

Suitable for wood with nails and thick steel from 4 to 12mm.  
Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
1 PC	QBL385203






# THICK METAL

## QRC3806

152X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



To use as:  
**Bosch S955CHC**

Suitable for cutting 4 to 12mm steel. Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*


PU	ART.NR.
1 PC	QBL385234

## QRC3809

228X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



To use as:  
**Bosch S1155CHC**

Suitable for cutting 4 to 12mm steel. Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*



PU	ART.NR.
1 PC	QBL385241

## QRC3812

304X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



To use as:  
**Bosch S1255CHC**

Suitable for cutting 4 to 12mm steel. Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
1 PC	QBL385258

RECIPRO




# MEDIUM METAL

## QRC5104

100X0.96MM

BIM

LONG LIFE



TPI 14

To use as:  
Bosch S522BF

Suitable for cutting 2 tot 8mm steel. Broad application due to Bi-Metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.



PU	ART.NR.
5 PCS	QBL385265

## QRC5106

150X0.96MM

BIM

LONG LIFE



TPI 14

To use as:  
Bosch S922BF

Suitable for cutting 2 tot 8mm steel. Broad application due to Bi-Metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.



PU	ART.NR.
5 PCS	QBL385272

## QRC5109

228X0.96MM

BIM

LONG LIFE



TPI 14

To use as:  
Bosch S1122BF

Suitable for cutting 2 tot 8mm steel. Broad application due to Bi-Metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.



PU	ART.NR.
5 PCS	QBL385289
Bulk (50 PCS)	QBL385845

## QRC5306

150X0.96MM

BIM

LONG LIFE



TPI 18

To use as:  
Bosch S922EF

Suitable for cutting 1.5 tot 4mm steel. Broad application due to Bi-Metal teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
5 PCS	QBL385296

RECIPRO








# MEDIUM METAL

## QRC5309

228X1.25MM

**BIM**

**LONG LIFE**



Suitable for cutting 1.5 to 4mm steel. Broad application due to Bi-Metal teeth.

To use as:  
Bosch 1122EF

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
5 PCS	QBL385302

## QRC5806

151X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



Suitable for cutting 1.5 to 8mm steel. Extra robust due to carbide teeth.

To use as:  
Bosch S955HHM

*Wood, plastics, steel, copper, aluminum pipes and profiles.*



PU	ART.NR.
1 PC	QBL385319

## QRC5809

228X1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



Suitable for cutting 1.5 to 8mm steel. Extra robust due to carbide teeth.

To use as:  
Bosch S1155HHM

*Wood, plastics, steel, copper, aluminum pipes and profiles.*


PU	ART.NR.
1 PC	QBL385326

## QRC5812

304x1.25MM

**CARBIDE PRO**

**50x LONG LIFE**



Suitable for cutting 1.5 to 8mm steel. Extra robust due to carbide teeth.

To use as:  
Bosch S1255HHM

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
1 PC	QBL385333

RECIPRO





# THIN METAL

## QRC6106

150X0.98MM

**BIM**

**LONG LIFE**



To use as:  
Bosch S922AF

Suitable for cutting 1 to 1.5mm steel. Broad application due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*



PU	ART.NR.
5 PCS	QBL385340

## QRC6109

228X0.98MM

**BIM**

**LONG LIFE**



To use as:  
Bosch S1122AF

Suitable for cutting 1 to 1.5mm steel. Broad application due to Bi-Metal teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*



PU	ART.NR.
5 PCS	QBL385357

## QRC6804

102x1MM

**CARBIDE PRO**

**50x LONG LIFE**



To use as:  
Bosch S522EHM

Suitable for cutting 1 to 1.5mm steel. Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*



PU	ART.NR.
1 PC	QBL385364

## QRC6806

150x1MM

**CARBIDE PRO**

**50x LONG LIFE**



To use as:  
Bosch S922EHM

Suitable for cutting 1 to 1.5mm steel. Extra robust due to carbide teeth.

*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
1 PC	QBL385371

RECIPRO






# HOLLOW BRICK

## QRC7909

240X1.5MM

CARBIDE PRO

50x LONG LIFE



Suitable for cutting hollow brick and aerated concrete.  
Extra robust due to carbide teeth.

To use as:

Bosch S1543HM

*Hollow brick, aerated concrete.*


PU	ART.NR.
1 PC	QBL385395

## QRC7812

304X1.5MM

CARBIDE PRO

50x LONG LIFE




Suitable for cutting hollow brick and aerated concrete.  
Extra robust due to carbide teeth.

To use as:

Bosch S1243HM

*Hollow brick, aerated concrete.*

PU	ART.NR.
1 PC	QBL385388



blades<sup>®</sup>  
PROFESSIONAL QUALITY

WOOD - CLEAN CUT  
1.25" (32mm)  
M18  
DEWALT

WOOD - FAST  
1.25" (32mm)  
M18  
DEWALT

WOOD - FINE FINEST  
1.25" (32mm)  
M18  
DEWALT

WOOD - REVERSE CUT  
1.25" (32mm)  
M18  
DEWALT

WOOD - FAST  
1.25" (32mm)  
M18  
DEWALT

WOOD - REVERSE CUT  
1.25" (32mm)  
M18  
DEWALT

HARD WOOD - CLEAN  
1.25" (32mm)  
M18  
DEWALT

WOOD - CLEAN CUT  
1.25" (32mm)  
M18  
DEWALT

GENERAL PURPOSE  
1.25" (32mm)  
M18  
DEWALT

# JIGSAW





# JIGSAW

## OPTIMAL PRECISION

Since April 2024, the Qblades range has been expanded with a new line of high-quality jigsaw blades. After two years of intensive testing, 24 blades have been developed that meet the high demands of professionals. They are suitable for various materials and applications.

The range includes, among others:

- ✓ **Wood blades in HCS or BIM, with options such as:**
  - Curved cut: for curved cuts
  - Fine finish: for precise finishing
  - Fast: for quick and rough cutting
  - Reverse cut: for a clean cut on the underside of the material
  - All-rounders: for wood with nails – also available in a durable carbide version (up to 50x longer lifespan)
- ✓ **Metal blades for:**
  - Thin metal (fine teeth)
  - Medium metal
  - Thick metal (coarser teeth)
- ✓ **Blades for stone and tiles, including ceramic and hardened variants**





# WOOD (HCS)

## QDC0101

76MM

HCS



To use as:  
Bosch T101AO


Due to its 5mm height, ideal for cutting curves.  
*Wood, structural wood, plastics and plasterboard.*

PU	ART.NR.
5 PCS	QBL385401

## QDC0202

100MM

HCS



To use as:  
Bosch T101B


This saw blade is designed for fast, precise, and clean cuts.  
*Wood, structural wood, plastics and plasterboard.*

PU	ART.NR.
5 PCS	QBL385418

## QDC0302

100MM

HCS



To use as:  
Bosch T101BR

The reverse tothing ensures a clean cut on the underside of the material.  
*Wood, structural wood, plastics and plasterboard.*

PU	ART.NR.
5 PCS	QBL385425





# WOOD (HCS)

## QDC0402

100MM

HCS



This coarse saw blade effortlessly makes clean, fast and straight cuts.

*Wood, structural wood, plastics and plasterboard.*


To use as:  
**Bosch T101D**

PU	ART.NR.
5 PCS	QBL385432

## QDC0502

100MM

HCS



This coarse saw blade effortlessly makes fast and straight cuts.

*Wood, structural wood, plastics and plasterboard.*

To use as:  
**Bosch T144D**

PU	ART.NR.
5 PCS	QBL385449







# WOOD (BIM)

## QDC1101

76MM

BIM

5x LONG LIFE



Due to its 5mm height, ideal for cutting curves.  
Longer lifespan due to Bi-Metal teeth.

To use as:

Bosch T101AOF

Wood, structural wood, plastics and plasterboard.


PU	ART.NR.
5 PCS	QBL385456

## QDC1202

100MM

BIM

5x LONG LIFE



This saw blade is designed for fast, precise, and clean cuts.  
Longer lifespan due to Bi-Metal teeth.

To use as:

Bosch T101BF

Wood, structural wood, plastics and plasterboard.



PU	ART.NR.
5 PCS	QBL385463

## QDC1302

100MM

BIM

5x LONG LIFE



The reverse tothing ensures a clean cut on the underside  
of the material. Longer lifespan due to Bi-Metal teeth.

To use as:

Bosch T101BRF

Wood, structural wood, plastics and plasterboard.

PU	ART.NR.
5 PCS	QBL385470




# WOOD (BIM)

## QDC1402

100MM

BIM

5x LONG LIFE



This coarse saw blade effortlessly makes fast and straight cuts. Longer lifespan due to Bi-Metal teeth.

*Wood, structural wood, plastics and plasterboard.*

To use as:  
Bosch T101DF


PU	ART.NR.
5 PCS	QBL385487

## QDC1502

100MM

BIM

5x LONG LIFE



A saw blade with set teeth for fast and precise cutting. Longer lifespan due to Bi-Metal teeth.

*Wood, structural wood, plastics and plasterboard.*

To use as:  
Bosch T144DF



PU	ART.NR.
5 PCS	QBL385494

## QDC1702

100MM

BIM

5x LONG LIFE



This saw blade effortlessly delivers smooth, straight cuts in (hard)wood.

*Wood, structural wood, plastics and plasterboard.*

To use as:  
Bosch T101AIF

PU	ART.NR.
5 PCS	QBL385500





# ALL-ROUNDER

## QDC1204

132MM


BIM

5x LONG LIFE



To use as:

Bosch T345XF



Suitable for wood with nails and steel from 4.5 to 9.5mm.

Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
5 PCS	QBL385517

## QDC8204

130MM


CARBIDE PRO

50x LONG LIFE



To use as:

Bosch T367XHM



Suitable for wood with nails and steel from 4.5 to 9.5mm.

Extra robust due to carbide teeth.

Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
3 PCS	QBL385524





# THICK METAL

## QDC1303

91MM

BIM

5x LONG LIFE



To use as:  
Bosch T121BF

Suitable for cutting 3 to 6mm steel.


Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
5 PCS	QBL385548

## QDC2303

76MM

HSS



To use as:  
Bosch T118B

Suitable for cutting 3 to 6mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
5 PCS	QBL385531







# MEDIUM METAL

## QDC1404

91MM

BIM



To use as:  
Bosch T121AF

Suitable for cutting 1.5 to 3mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.


PU	ART.NR.
5 PCS	QBL385562

## QDC1405

132MM

BIM

5x LONG LIFE



To use as:  
Bosch T321AF

Suitable for cutting 1.5 to 3mm steel.


Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
5 PCS	QBL385609

## QDC2404

76MM

HSS



To use as:  
Bosch T118A

Suitable for cutting 1.5 to 3mm steel.

Wood, plastics, steel, copper, aluminum pipes and profiles.

PU	ART.NR.
5 PCS	QBL385555




# THIN METAL

## QDC1505

91MM

BIM

5x LONG LIFE



To use as:  
Bosch T121GF



Suitable for cutting 0.4 to 1.2mm steel.  
*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
5 PCS	QBL385586

## QDC2505

76MM

HSS



To use as:  
Bosch T118G

Suitable for cutting 0.4 to 1.2mm steel.  
*Wood, plastics, steel, copper, aluminum pipes and profiles.*


PU	ART.NR.
5 PCS	QBL385579

## QDC8505

76MM

CARBIDE PRO

50x LONG LIFE



To use as:  
Bosch T118AHM

Suitable for cutting 0.4 to 1.2mm steel.  
Extra robust due to carbide teeth.  
*Wood, plastics, steel, copper, aluminum pipes and profiles.*

PU	ART.NR.
3 PCS	QBL385593







# SPECIAL APPLICATIONS

## QDC8130

76MM

**CARBIDE PRO**

50x LONG LIFE



To use as:  
Bosch T130Riff

Suitable for cutting ceramic tiles. Carbide. Grit 130.  
*Ceramic tiles.*


PU	ART.NR.
3 PCS	QBL385630

## QDC9150

85MM

**CARBIDE PRO**

50x LONG LIFE



To use as:  
Bosch T150Riff

Suitable for cutting hard tiles. Diamond. Grit 150.  
*Hard tiles.*


PU	ART.NR.
3 PCS	QBL385647

## QDC8706

100MM

**CARBIDE PRO**

50x LONG LIFE




To use as:  
Bosch T141HM

Suitable for cutting fibre cement and plaster.  
*Fibre cement and plaster.*

PU	ART.NR.
3 PCS	QBL385654

TO  
USE  
AS

# REFERENCES



## Fein Starlock

FEIN	QBLADES	P
Fein 001	SL40	15
Fein 106	SL20	14
Fein 125	SL46	16
Fein 126	SL06	11
Fein 127	SLP09	21
Fein 129	SL52	18
Fein 131	SLP08	21
Fein 133	SL04	11
Fein 151	SLP15	22
Fein 152	SLP11	22
Fein 159	SL51	18
Fein 160	SL03	13
Fein 165	SL71	17
Fein 166	SL31	15
Fein 183	SL07	13
Fein 191	SLP44	23
Fein 193	SLP34	23
Fein 205	SL16	12
Fein 222	SL15	14
Fein 223	SL10	13
Fein 225	SL08	12
Fein 226	SL70	17
Fein 227	SL05	11
Fein 228	SL13	14
Fein 230	SL09	12
Fein 232	SL18	12
Fein 236	SL81	14
Fein 237	SLP83	22
Fein 251	SL77	17



## DeWalt

DeWalt	QBLADES	P
DT20741-QZ	DW09	32
DT20740-QZ	DW06	31
DT20739-QZ	DW35	35
DT20727-QZ	DW82	34
DT20723-QZ	DW15	34
DT20719-QZ	DW40	36
DT20716-QZ	DW78	37
DT20714-QZ	DW70	37
DT20710-QZ	DW20	34
DT20705-QZ	DW08	32
DT20704-QZ	DW04	31
DT20703-QZ	DW02	31
DT20702-QZ	DW11	33
DT20701-QZ	DW03	33



## Fein SuperCut

FEIN	QBLADES	P
Fein 005	SC40	58
Fein 103	SC21	56
Fein 115	SC30	57
Fein 116	SC76	60
Fein 117	SC78	60
Fein 119	SC06	53
Fein 122	SC09	54
Fein 124	SC02	53
Fein 132	SC75	60
Fein 135	SC04	53
Fein 136	SC08	54
Fein 145	SC20	56
Fein 147	SC15	56
Fein 148	SC11	55
Fein 162	SC35	57
Fein 163	SC12	55
Fein 164	SC03	55
Fein 166	SC73	59
Fein 185	SC07	54
Fein 206	SC70	59



# REFERENCES

TO  
USE  
AS



## RECIPRO

QBLADES	BOSCH	MAKITA	METABO	MILWAUKEE	P
<b>WOOD</b>					
QRC0109	S1531L	P47117	631488000	48-00-1077	67
QRC0206	S644D	P47086	631470000	48-00-1075	67
QRC0308	S2345X	P47086	631913000	-	67
QRC0809	S1142KHM	-	-	-	68
QRC0812	S1242KHM	-	-	-	68
<b>WOOD &amp; NAILS</b>					
QRC1109	S1110VF	B43256	-	-	69
QRC1112	S1210VF	B43278	-	-	69
QRC1206	S711DF	P45711	-	-	69
QRC1309	S1111DF	B43256	631986000	48-00-5036	69
QRC1312	S1411DF	B10637	631987000	48-00-5037	70
QRC1406	S922HF	B31843	-	48-00-5092	70
QRC1409	S1122HF	P47008	-	48-00-5093	70
QRC1512	S1222VF	B16857	-	-	70
<b>ALL-ROUNDERS - DEMOLITION</b>					
QRC2209	S1120CF	B43181	631993000	-	71
QRC2212	S1226CHF	B43212	-	-	71
QRC2406	S123XF	B05038	-	-	71
QRC2508	S3456XF	B05044	-	-	71
QRC2806	S956DHM	B49834-10	-	-	72
QRC2809	S1156XHM	B49840	626560000	-	72
<b>THICK METAL (4-12mm)</b>					
QRC3806	S955CHC	B49840	-	48-00-5501	73
QRC3809	S1155CHC	B49840	-	48-00-5501	73
QRC3812	S1255CHC	B49840	-	48-00-5501	73
<b>MEDIUM METAL (1.5-8mm)</b>					
QRC5104	S522BF	P04874	628267000	-	74
QRC5106	S922BF	P04911	625491000	48-00-5182	74
QRC5109	S1122BF	P04927	625492000	-	74
QRC5306	S922EF	P04880 / B05169	628251000	48-00-5184	74
QRC5309	S1122EF	P04933 / B16782	628252000	48-00-5188	75
QRC5806	S955HHM	-	-	-	75
QRC5809	S1155HHM	-	-	-	75
QRC5812	S1255HHM	-	-	-	75
<b>THIN METAL (1-1.5mm)</b>					
QRC6106	S922AF	P04905	-	48-00-5186	76
QRC6109	S1122AF	-	-	-	76
QRC6804	S522EHM	-	-	-	76
QRC6806	S922EHM	-	-	-	76
<b>HOLLOW BRICK</b>					
QRC7909	S1543HM	-	-	-	77
QRC7812	S1243HM	-	-	-	77



## JIGSAW

QBLADES	BOSCH	FESTOOL	MAKITA	METABO	MILWAUKEE	P
<b>WOOD (HCS)</b>						
QDC0101	T101AO	S50K/1,4	-	623651000	4932373392	81
QDC0202	T101B	S75/2,5	B11/A85634	623634000	4932254061	81
QDC0302	T101BR	-	B19/A85715	623650000	4932346079	81
QDC0402	T101D	-	B12/A85640	623635000	4932274351	82
QDC0502	T144D	S75/4	B16/A85684	623633000	4932213116	82
<b>WOOD (BIM)</b>						
QDC1101	T101AOF	-	320SC	623975000	4932373083	83
QDC1202	T101BF	S75/2,5BI	S75/2,5BI	623696000	48-42-5311	83
QDC1302	T101BRF	HS75/2,5BIR	-	623635000	-	83
QDC1402	T101DF	B12/A85640	B12/A85640	623976000	4932274351	84
QDC1502	T144DF	S75/4BI	P31588	623948000	4932373391	84
QDC1702	T101AIF	-	-	-	-	84
<b>ALL-ROUNDERS - DEMOLITION</b>						
QDC1204	T345XF	-	-	-	-	85
QDC8204	T367XHM	-	-	-	-	85
<b>THICK METAL (3-6mm)</b>						
QDC2303	T118B	HS60/2BI	B23/A85743	623925000	4932254064	86
QDC1303	T121BF	-	P49622	623949000	-	86
<b>MEDIUM METAL (1.5-8mm)</b>						
QDC2404	T118A	-	-	-	-	87
QDC1404	T121AF	HS 75/1,2 BI	-	-	-	87
QDC1405	T321AF	-	-	-	-	87
<b>THIN METAL (0.4-1.2mm)</b>						
QDC2505	T118G	-	B24/A85759	623636000	4932274652	88
QDC1505	T121GF	-	-	-	-	88
QDC8505	T118AHM	-	B22/A85737	623637000	4932254063	88
<b>SPECIAL APPLICATIONS</b>						
QDC8130	T130Riff	-	-	-	-	89
QDC9150	T150Riff	-	-	-	-	89
QDC8706	T141HM	HM75/4,5	P38766	-	-	89



# Q-Case






**DG Europe BV**  
De Langeloop 12-1  
1742PB, Schagen  
THE NETHERLANDS

+31 (0) 224 76 90 02  
info@qblades.com

**[www.qblades.com](http://www.qblades.com)**



[WWW.QBLADES.COM](http://WWW.QBLADES.COM)

